

# Bubbly Markov Equilibria\*

Martin Barbie<sup>†</sup>      Marten Hillebrand<sup>‡</sup>

October 6, 2017

## Final version

### Abstract

Bubbly Markov Equilibria (BME) are recursive equilibria on the natural state space which admit a non-trivial bubble. The present paper studies the existence and properties of BME in a general class of overlapping generations (OLG) economies with capital accumulation and stochastic production shocks. Using monotone methods, we develop a general approach to construct Markov equilibria and provide necessary and sufficient conditions for these equilibria to be bubbly. Our main result shows that a BME exists whenever the bubbleless equilibrium is Pareto inefficient either due to overaccumulation of capital or inefficient risk-sharing between generations.

*JEL classification:* C62, D51, E32

*Keywords:* Asset Bubbles, Stochastic OLG, Production, Markov Equilibria, Pareto Optimality.

---

\*We would like to thank Tim Deeken, Tomoo Kikuchi, Herakles Polemarchakis, Clemens Puppe, Kevin Reffett, Caren Söhner, John Stachurski, and Klaus Wälde for helpful suggestions and discussions and two anonymous referees for their very constructive and valuable comments. We also thank seminar participants at various conferences including the 2013 SAET Conference in Paris, the 2013 Annual Meeting of the Verein für Socialpolitik in Düsseldorf, the 2014 CEF Conference in Oslo, and the 2017 SAET conference in Faro.

<sup>†</sup>CMR-Center for Macroeconomic Research, University of Cologne, Albertus-Magnus-Platz, D-50923, Köln, Germany, email: barbie@wiso.uni-koeln.de.

<sup>‡</sup>Department of Economics, Goethe University Frankfurt, Theodor-W.-Adorno-Platz 3, D-60323 Frankfurt am Main, Germany, email: Hillebrand@em.uni-frankfurt.de, Phone: (+49) (0)69 798 33808 (corresponding author).

---

# 1 Introduction

A bubble is an intrinsically worthless asset which trades at a positive price such as fiat money or a bond with infinite maturity that never pays any dividends. Bubbly equilibria in which bubbles occur as an equilibrium outcome in the presence of rational investors only exist if the equilibrium price system satisfies certain conditions. If investors are infinite-lived, these conditions can only hold if there are frictions such as borrowing constraints. In models with overlapping generations of investors, however, bubbles can occur even in the absence of such frictions which makes this class an attractive framework to study the existence and properties of bubbly equilibria.

The general contribution of this paper is to conduct such a study in a stochastic overlapping generations model with production. To our knowledge, we are the first to offer a comprehensive study of this type. Specifically, we state explicit conditions for the existence of bubbly equilibria in terms of the pricing kernel and provide a recursive method to construct them. Our main existence condition takes the form of an inefficiency property of the bubbleless equilibrium which recovers several existing results in the literature as special cases.

The emergence of a bubble in our setup has two important macroeconomic effects. First, it affects the formation of capital by providing an alternative investment opportunity to investors. Second, it creates an additional insurance possibility which affects the risk sharing arrangements among consumers. With these features, our setup encompasses previous studies of bubbly equilibria in OLG models for the case of a deterministic production economy as studied in (Tirole 1985) or (Bose & Ray 1993) as well as stochastic models with pure exchange as in (Manuelli 1990), (Aiyagari & Peled 1991), or (Magill & Quinzii 2003). By construction, these studies either neglect the investment or the risk sharing effect of bubbles. In this sense, our framework contains these models as special cases and we will discuss which role the previous existence results play in our extended setup.

The stochastic OLG model with production has been studied in Wang (1993, 1994) and, more recently, in (Morand & Reffett 2007), McGovern et al. (2013), and (Hillebrand 2014). These studies focus on a particular class of equilibria in which the equilibrium variables are determined by time-invariant mappings on the minimal or 'natural' state space. Following (Kübler & Polemarchakis 2004), such equilibria will be called Markov Equilibria (ME) in this paper.

All results on the existence and properties of ME in Wang (1993, 1994) and the aforementioned and related papers are derived under the assumption that capital is the only asset available to consumers. This excludes the existence of a bubbly asset from the outset. However, as bubbly equilibria can potentially emerge in these economies without any change in fundamentals or the behavioral characteristics of agents, any characterization of the set of equilibria and their properties remains incomplete unless bubbly equilibria

---

are also taken into account. Filling this gap is therefore the main contribution relative to (Wang 1993) and similar studies of ME. Extending the terminology from (Kübler & Polemarchakis 2004), we call a ME which admits a bubble a Bubbly Markov Equilibrium (BME). Identifying conditions under which a BME exists and characterizing its properties is the general objective of this paper.

The first part of our analysis lays out a general method to construct potentially bubbly ME. This sets the stage to establish a general existence theorem for BME in the second part. A first major obstacle to construct ME in our setup is that the pointwise methods employed in (Wang 1993) are no longer applicable. For this reason, our construction is based on monotone methods from functional analysis similar to Coleman (1991, 2000), or (Greenwood & Huffman 1995). This approach was successfully applied in (Morand & Reffett 2007) to study bubbleless ME, and we will show how it can be extended to study BME as well. The method to be developed is also constructive and can directly be employed to compute BME numerically in applications of our results.

The goal of the second part is to provide necessary and sufficient conditions under which the ME constructed is bubbly. Our main result shows that this is the case whenever the bubbleless equilibrium is Pareto inefficient. Such an inefficiency can be the result of dynamic inefficiency due to overaccumulation of capital as studied in (Zilcha 1990) but may also be the result of inefficient intertemporal risk sharing between generations (see Barbie et al. (2007) for details). In such cases, a bubbly asset can be welfare improving by permitting state-contingent transfers between generations that otherwise would not be possible.<sup>1</sup>

The welfare concept employed in this paper is that of *interim* or *conditional* Pareto optimality which evaluates each consumer's utility conditional on the state at birth (see (Demange 2002) for an exploration of different optimality concepts for stochastic OLG models). In our model with time-additive utility and two-period lived consumers, this implies that utility from first-period consumption is evaluated *ex-post*, i.e., *after* the current state is observed, while utility from second-period consumption is evaluated in *expected terms*, i.e., *before* the state in this period is observed. This asymmetry is key to obtain a welfare improvement by state-dependent transfers which change the risk structure of first and second-period consumption.

A crucial difference to the deterministic result in Tirole (1985) is therefore that bubbles can emerge in stochastic economies which are dynamically efficient but suffer from inefficient risk sharing. While this result may sound intuitive, it requires new methods and proofs inherently different from those used in deterministic studies or stochastic

---

<sup>1</sup>This holds even though markets in our model are sequentially complete in that equilibria can be supported by a complete set of state-contingent claims (Arrow securities) as in Barbie et al. (2007). Along the bubbleless equilibrium, however, these claims are not traded between generations while the presence of a bubbly asset allows for such intergenerational trades.

---

exchange economies.<sup>2</sup> Thus, our paper also offers a methodological contribution.

One of the major challenges to establish our existence result is that it requires a workable criterion to determine when an equilibrium allocation is Pareto inefficient. Building on the results from (Chattopadhyay & Gottardi 1999), a complete characterization of Pareto optimality in stochastic OLG production economies is provided in Barbie et al. (2007). The criterion employed in our paper essentially combines their results with the recursive formulations of Pareto optimality/suboptimality developed in (Barbie & Kaul 2015) who provide dominant root-type criteria necessary and sufficient for inefficiency in a stationary exchange economy with continuous state space. Similar criteria for efficiency/inefficiency are derived in (Demange & Laroque 2000). By exploiting certain monotonicity properties, our framework allows us to extend the results in (Barbie & Kaul 2015) and (Demange & Laroque 2000) and offer a complete characterization of inefficiency under a standard condition (Feller continuity) on the endogenous transition probability on the natural state space.

Based on this criterion, we establish our existence result by constructing a sequence of economies with a dividend-paying asset whose dividends converge to zero.<sup>3</sup> Each such economy is known to have only efficient ME. Under some additional restrictions, the limiting ME of the benchmark economy with zero dividends is also efficient. Thus, a BME necessarily exists whenever the bubbleless equilibrium is known to be Pareto inefficient.

We expect our existence result to have many promising and interesting applications. One such application concerns the sustainability of government debt which is rolled over indefinitely between any two successive generations and is formally equivalent to a bubble. The sustainability of debt in the deterministic case was first analyzed in (Diamond 1965). In the stochastic case, Ball et al. (1998) argue that, roughly speaking, roll-over is possible when debt offers a riskless return lower than the growth rate of the economy. Our characterization which is based on the pricing kernel of the economy offers a clean theoretical foundation of this argument and permits to extend it to debt returns with a general stochastic structure. Further, our construction of BME provides an algorithm for explicitly determining sustainable debt policies and the optimal risk indexation of debt returns. These findings could also be valuable for applied studies, e.g., in the current discussion about sustainable debt levels, low interest rates and secular stagnation. Further potential applications, e.g., in the context of social security systems as studied in (Gottardi & Kübler 2011) are discussed below.

Bubbles can also emerge in models with heterogeneous, infinitely-lived households in the

---

<sup>2</sup>Formally, this is because investments in capital and the bubbly asset being imperfect substitutes in our framework give rise to two Euler equations while there is only one such equation in the deterministic or pure exchange case.

<sup>3</sup>The idea of taking the limit of an economy with positive dividends to obtain bubbly equilibria was also used in (Barbie & Kaul 2015) and (Aiyagari & Peled 1991).

---

presence of borrowing constraints which are self-enforcing. A recent paper representative of this literature is (Hellwig & Lorenzoni 2009). They show that if borrowing constraints are positive and sustainable, they behave like a bubble in the sense that the resulting equilibrium allocation is the same as in an economy with unbacked public debt (see Theorem 2 in (Hellwig & Lorenzoni 2009)). Similar to the OLG-literature, bubbles in their model can only occur if equilibrium interest rates are sufficiently low (see their Proposition 3).

A final large and growing branch of the literature studies the existence and properties of bubbly equilibria in the presence of financial frictions. Representatives of this literature are (Farhi & Tirole 2012), (Martin & Ventura 2012), and, more recently, (Ikeda & Phan 2016) or Miao et al. (2016). In the present paper, we choose not to include such frictions for at least three reasons. First, we would like to retain the deterministic case studied in Tirole (1985) as a natural reference point for our existence conditions. Second, as explained above, we will formulate our existence conditions in terms of the welfare properties of the bubbleless equilibrium based in criteria which are well-understood only in the frictionless case. Third, an important reason for introducing frictions in the first place was to explain the emergence of bubbles in dynamically efficient economies. Thus, an important contribution of our paper to the literature with frictions is that bubbles can emerge in dynamically efficient economies even in the absence of such frictions.

The paper is organized as follows. Section 2 introduces the model and defines the concept of a Markov equilibrium. Section 3 develops a general approach to construct these equilibria. Section 4 contains the main results which state necessary and sufficient conditions under which the ME constructed is bubbly. Section 5 concludes; technical proofs and derivations are relegated to Mathematical Appendices A and B.

## 2 The Model

This section introduces the structure and assumptions of the basic model and formalizes the concept of a Markov equilibrium which will be at the core of the subsequent analysis.

### 2.1 Production sector

The production side is represented by a unit mass continuum of perfectly competitive firms which operate a linear homogeneous technology to produce an all-purpose output commodity using capital and labor as inputs. In addition, production in period  $t$  is subjected to an exogenous aggregate random production shock  $\theta_t > 0$ . At equilibrium, labor supply will be constant and normalized to unity. Given the shock, the intensive form production function  $f : \mathbb{R}_+ \rightarrow \mathbb{R}_+$  determines production output  $y_t$  in period  $t$

---

from the existing stock of capital  $k_t \geq 0$  as

$$y_t = \theta_t f(k_t).$$

As in (Wang 1993), shocks are i.i.d. over time with (marginal) distribution  $\nu$  supported on the compact set  $\Theta \subset \mathbb{R}_{++}$ . Let  $\theta_{\min}$  denote the minimal and  $\theta_{\max}$  the maximal realization of the shock. The formal arguments in Section 4 assume that  $\Theta$  is a finite set. The process  $\{\theta_t\}_{t \geq 0}$  induces a probability space  $(\Omega, \mathcal{F}, \mathbb{P})$  on which all random variables are defined and a filtration  $\{\mathcal{F}_t\}_{t \geq 0}$  such that  $\theta_t$  is  $\mathcal{F}_t$ -measurable. Throughout, the notion of an adapted stochastic process  $\{\xi_t\}_{t \geq 0}$  refers to this filtration and implies that each  $\xi_t$  can depend only on random variables  $\theta_n$ ,  $n \leq t$ . Moreover,  $\mathbb{E}_t[\cdot] := \mathbb{E}[\cdot | \mathcal{F}_t]$  is the conditional expectations operator.

The following restrictions on  $f$  are standard and will be imposed throughout the paper.

**Assumption 1**

*The map  $f : \mathbb{R}_+ \rightarrow \mathbb{R}_+$  is  $C^2$  with derivatives  $f'' < 0 < f'$  and  $\lim_{k \rightarrow 0} f'(k) = \infty$ . Moreover, there exists an upper bound  $\bar{k} > 0$  such that  $\theta_{\max} f(k) < k$  whenever  $k > \bar{k}$ .*

The previous restrictions ensure that  $f$  is strictly increasing, strictly concave, and satisfies the so-called left-side Inada condition of an infinite capital return at zero. The final restriction excludes unbounded growth and ensures that any feasible allocation of capital, output, and consumption in our model is uniformly bounded.

Market clearing and profit maximizing behavior imply that the equilibrium wage  $w_t$  and capital return  $r_t$  are determined by the capital stock  $k_t > 0$  and the shock as  $\theta_t \in \Theta$  as

$$w_t = W(k_t, \theta_t) := \theta_t [f(k_t) - k_t f'(k_t)] \tag{1a}$$

$$r_t = R(k_t, \theta_t) := \theta_t f'(k_t). \tag{1b}$$

Economically, equations (1a) and (1b) equate the prices of labor and capital to their marginal product in production which also implies that equilibrium profits are zero.

## 2.2 Consumption sector

The consumption sector consists of overlapping generations of consumers who live for two periods. For simplicity, there is no population growth and the size of each generation is normalized to unity. Young consumers earn income from supplying one unit of labor inelastically to the labor market while old consumers earn the proceeds on their investments made during the previous period.

To transfer income to the second period of life, there are two investment possibilities available to a young consumer in period  $t$ . First, she can invest in capital to earn the uncertain capital return  $r_{t+1}$  in the next period per unit invested at time  $t$ . Second, she

---

can invest in assets given by retradeable shares of a fruit tree (Lucas tree) which pay a constant non-random dividend  $d \geq 0$  in each period. Let  $p_t \geq 0$  denote the asset price per share in period  $t \geq 0$ . The total supply of shares is normalized to unity.

A young consumer in period  $t$  observes her labor income  $w_t > 0$  and the buying price of shares  $p_t \geq 0$  while taking the selling price  $p_{t+1} \geq 0$  and the capital return  $r_{t+1} > 0$  as given random variables in her decision. The consumer chooses the desired investments in capital  $s$  and in shares  $z$  to maximize expected lifetime utility. Assuming an additive von-Neumann Morgenstern utility function  $U(c^y, c^o) = u(c^y) + v(c^o)$  over lifetime consumption, the decision problem reads:

$$\max_{z,s} \left\{ u(w_t - z p_t - s) + \mathbb{E}_t [v(z(p_{t+1} + d) + s r_{t+1})] \mid s \geq 0, z \geq 0, z p_t + s \leq w_t \right\}. \quad (2)$$

Throughout, we impose the following standard restrictions on the utility functions.

**Assumption 2**

Both  $g \in \{u, v\}$  are  $C^2$  with derivatives satisfying  $g'' < 0 < g'$  and  $\lim_{c \rightarrow 0} g'(c) = \infty$ . Moreover, second period utility satisfies the following property (U):  $c|v''(c)| \leq v'(c)$  for all  $c \in ]0, c_{\max}]$ .<sup>4</sup>

The previous restrictions imply that utility functions in both periods are strictly increasing and concave and their boundary behavior excludes equilibrium allocations with zero consumption in any period of life. Furthermore, property (U) confines risk aversion of second period utility to the unit-interval which is again a standard although more restrictive condition also imposed in (Magill & Quinzii 2003), (Morand & Reffett 2007) or McGovern et al. (2013). In deterministic models such as (Galor & Ryder 1989), it ensures that savings are an increasing function of the expected capital return.

Capital investment  $s_t$  in period  $t$  determines the capital stock  $k_{t+1}$  of the following period. Combining this with the first-order conditions of the decision problem (2), one obtains the following Euler equations which must hold in each period  $t$  at equilibrium:

$$u'(w_t - p_t - k_{t+1}) = \mathbb{E}_t [r_{t+1} v'(p_{t+1} + d + k_{t+1} r_{t+1})] \quad (3a)$$

$$u'(w_t - p_t - k_{t+1}) p_t = \mathbb{E}_t [(p_{t+1} + d) v'(p_{t+1} + d + k_{t+1} r_{t+1})]. \quad (3b)$$

Some results will require an additional joint restriction on the production technology  $f$  and second-period utility  $v$ . To introduce this restriction, let  $E_\phi(z) := \left| \frac{z \phi'(z)}{\phi(z)} \right|$ ,  $z \in \mathbb{R}$  the (absolute) elasticity of a differentiable function  $\phi \neq 0$ . Using this notation, define

$$E_{v'}^{\max} := \sup \left\{ E_{v'}(c) \mid c \in ]0, c_{\max}] \right\} \quad (4a)$$

$$E_{v'}^{\min} := \inf \left\{ E_{v'}(c) \mid c \in ]0, c_{\max}] \right\}. \quad (4b)$$

---

<sup>4</sup>Here,  $c_{\max}$  is a suitable upper bound for equilibrium consumption. It can formally be obtained if capital is restricted to the bounded state space defined below.

---

The values in (4) define upper and lower bounds on risk aversion  $E_{v'}(c) = \frac{c|v''(c)|}{v'(c)}$ . The following assumption uses these values to obtain a lower bound on the elasticity of  $f'$ .

**Assumption 3**

The production technology  $f$  and second period utility  $v$  satisfy the joint restriction

$$E_{f'}(k) \geq \frac{E_{v'}^{\max} - E_{v'}^{\min}}{1 + E_{v'}^{\max} - E_{v'}^{\min}} \quad (5)$$

for all  $k \in \mathbb{K} = ]0, k_{\max}]$  with  $k_{\max}$  to be determined below and  $E_{v'}^{\max}$  and  $E_{v'}^{\min}$  by (4).

Unlike Assumptions 1 and 2, Assumption 3 is a non-standard restriction which will be needed for the monotone methods employed in this paper. Essentially, condition (5) imposes a uniform lower bound on the curvature of the function  $f$  measured by  $E_{f'}$  which increases with the range of risk aversion  $E_{v'}^{\max} - E_{v'}^{\min}$ . It holds automatically if  $v'$  displays constant relative risk aversion in which case  $E_{v'}^{\max} = E_{v'}^{\min}$ , an assumption widely used in applied macroeconomic models. Further, since  $0 \leq E_{v'}^{\max} - E_{v'}^{\min} \leq E_{v'}^{\max} \leq 1$  due to Assumption 2, the r.h.s. in (5) is uniformly bounded from above by  $\frac{1}{2}$ . Thus, (5) holds for any production technology with  $E_{f'}$  uniformly bounded from below by  $\frac{1}{2}$ . An example is the Cobb-Douglas case  $f(k) = k^\alpha$  with capital elasticity  $0 < \alpha \leq \frac{1}{2}$  which is a standard restriction imposed in virtually any empirical application. These observations reveal that Assumption 3 can be satisfied by restricting either the production or the consumer side of the economy. Also note that we do not impose an upper bound on  $E_{f'}$ . Thus, we completely avoid the restrictive capital-income monotonicity condition  $E_{f'} \leq 1$  which is often imposed in the literature, cf. (Wang 1993), (Hauenschild 2002), and others. Finally, we remark that we could further relax Assumption 3 if some restrictions on the distribution  $\nu$  were imposed. In this paper, we decided not to impose such restrictions.

## 2.3 Markov Equilibria (ME)

The dividend payment  $d \geq 0$  will be a key parameter in our analysis. For a given value  $d \geq 0$ , the economy is summarized by the list  $\mathcal{E}_d = \langle u, v, f, \nu, d \rangle$  plus initial conditions for capital  $k_0 > 0$  and the shock  $\theta_0 \in \Theta$ . Specifically, we refer to the economy  $\mathcal{E} := \mathcal{E}_0$  in which dividend payments are zero as the *benchmark economy* in our framework. Note that  $\mathcal{E}$  essentially corresponds to the economy studied in (Wang 1993).

The following definition is standard and provides the most general notion of equilibrium which reconciles market clearing and optimal behavior of all market participants with rational, self-confirming expectations of consumers.

**Definition 1**

Given initial values  $k_0 > 0$  and  $\theta_0 \in \Theta$ , a sequential equilibrium (SE) of  $\mathcal{E}_d$  is an adapted stochastic process  $\{w_t, r_t, p_t, k_{t+1}\}_{t \geq 0}$  which satisfies (1a,b) and (3a,b) for all  $t \geq 0$ .



---

Using the consumers' budget constraints, the equilibrium consumption processes are given by  $c_t^y = w_t - p_t - k_{t+1}$  and  $c_t^o = k_t r_t + p_t + d = \theta_t f(k_t) + d - c_t^y - k_{t+1}$  for all  $t \geq 0$ . In this paper, we focus on a particular class of equilibria where all equilibrium variables are determined by time-invariant functions of some state variable  $x_t$  which takes values in the state space  $\mathbb{X}$ . In the literature, such equilibria are called *Recursive Equilibria (RE)*. We confine ourselves to a particular class of recursive equilibria where the state variable is  $x_t = (k_t, \theta_t)$ . The underlying state space  $\mathbb{X}$  is called the natural state space. Note that the factor price mappings  $W$  and  $R$  from (1a,b) already satisfy this property. Following the terminology of (Kübler & Polemarchakis 2004), RE on the natural state space are called *Markov Equilibria (ME)*. In the following definition,  $\mathbb{X} \subset \mathbb{R}_{++} \times \Theta$  is a non-empty Borel set which will be constructed explicitly in the next section.

**Definition 2**

A SE of  $\mathcal{E}_d$  is called a *Markov equilibrium (ME)* on  $\mathbb{X}$  if there exists measurable mappings  $K_d^E : \mathbb{X} \rightarrow \mathbb{R}_{++}$  and  $P_d^E : \mathbb{X} \rightarrow \mathbb{R}_+$  such that  $k_{t+1} = K_d^E(k_t, \theta_t)$  and  $p_t = P_d^E(k_t, \theta_t)$  for all  $t \geq 0$  and all  $x_0 = (k_0, \theta_0) \in \mathbb{X}$ .

A primary goal of this paper is to study ME  $(K^E, P^E)$  of the benchmark economy  $\mathcal{E} = \mathcal{E}_0$  where dividend payments are zero (we will occasionally drop the subscript if  $d = 0$ ). In particular, we ask whether such equilibria admit a bubble, i.e., can be supported by a non-zero asset price process. Extending the previous terminology, we refer to a ME which admits a bubble as a *Bubbly Markov Equilibrium (BME)*. Formally, we have

**Definition 3**

A ME  $(K^E, P^E)$  of  $\mathcal{E}$  is called *bubbly* if  $P^E \neq 0$  and *bubbleless* if  $P^E = 0$ .

Below we show that any BME satisfies  $P^E > 0$ , i.e., the price of the bubbly asset is everywhere positive. Note that by adding the Euler equations (3a,b), one could also re-interpret the bubbly asset as a bubble on capital, i.e., a deviation from its fundamental value rather than being a separate asset. Intuitively, one can imagine that the firm issues a combined asset which subsumes both investment in capital and the bubble. In this way, we can attach a bubble to any existing asset by adding its price to the fundamental price of the asset.

In addition to their theoretical appeal, bubbly ME have several important applications and admit various alternative interpretations. One such application concerns the sustainability and optimal risk structure of governmental debt. Suppose in each period  $t$ , a government issues one-period bonds with unit price and (risk-indexed) return  $r_{t+1}^*$  to finance its current debt  $b_t > 0$ . Then, the process  $\{b_t\}_{t \geq 0}$  which evolves as  $b_{t+1} = r_{t+1}^* b_t$  is formally equivalent to a bubble in our previous framework. Exploiting this equivalence, the value  $P^E(x_t)$  defines the maximum level of debt that is sustainable if the current fundamental state is  $x_t \in \mathbb{X}$ . Further, the optimal risk structure of the return offered in

---

period  $t$  needed to sustain this maximum level is determined by the random variable

$$r_{t+1}^* := R^*(x_t, \cdot) = \frac{P^E(K^E(x_t), \cdot)}{P^E(x_t)}. \quad (6)$$

The existence of a BME is therefore equivalent to a positive equilibrium level of debt that can be sustained without further stabilization such as taxation, etc. Also note that (6) would permit to explicitly compute the Arrow-Debreu prices of risk at equilibrium.

An alternative interpretation of a BME is that of a monetary equilibrium in which a fixed quantity  $M > 0$  of fiat money is exchanged between successive generations. In this case, the price  $p_t > 0$  corresponds to real money balances in period  $t$ .

One can also interpret a BME as an equilibrium with a social security system in which  $p_t > 0$  represents the transfers from young to old consumers in period  $t \geq 0$ . A particular appealing feature that follows from the Euler equation (3b) is that such a system is time consistent in the sense that no generation has an incentive to change it (see (Hillebrand 2011) for an application of this concept). Thus, a BME directly implies the existence of a time-consistent Social Security system.

In the following section we show that the properties of the (unique) bubbleless ME of  $\mathcal{E}$  are key to construct the state space  $\mathbb{X}$  associated with *any* ME of  $\mathcal{E}_d$  where  $d \geq 0$ .

## 2.4 Restricting the state space

It is shown in (Hillebrand 2014) that property (U) from Assumption 1 is already sufficient for the benchmark economy  $\mathcal{E}$  to possess a unique bubbleless ME. In this case, the equilibrium mappings are given by  $P_0^E \equiv 0$  and  $K_0^E = K_0 \circ W$  where  $K_0 : \mathbb{R}_{++} \rightarrow \mathbb{R}_{++}$  determines the unique solution  $k = K_0(w)$  to the implicit condition

$$G_0(k, w) := u'(w - k) - \mathbb{E}_\nu[R(k, \cdot)v'(kR(k, \cdot))] = 0. \quad (7)$$

Note that the implicit function theorem implies that  $K_0$  is  $C^1$ , strictly increasing, and  $0 < K_0(w) < w$  for all  $w > 0$ . The capital process along the bubbleless ME evolves as

$$k_{t+1} = K_0^E(k_t, \theta_t) = K_0 \circ W(k_t, \theta_t). \quad (8)$$

Equation (8) is precisely the representation of equilibrium studied in (Wang 1993). To rule out degenerate cases in which capital converges to zero with positive probability, he imposes the additional restriction  $\lim_{k \searrow 0} \partial_k K_0^E(k, \theta_{\min}) > 1$ , cf. Theorem 4.3 in Wang (1993). It ensures existence of a lower bound  $\underline{k} > 0$  such that  $K^E(k, \theta) > k$  for all  $\theta \in \Theta$  whenever  $k \leq \underline{k}$ . For most of the following analysis, however, it suffices to work with a weaker condition which only excludes that capital converges to zero with probability one. Only later will the stronger requirement of Wang (1993) be necessary.

---

Before introducing such restrictions formally, a crucial observation is that the bubbleless ME is fully described by the map  $K_0$  defined on the one-dimensional set  $\mathbb{W} \subset \mathbb{R}_{++}$  of equilibrium wages. We will show in the next section that the same structure obtains in the bubbly case and also along any ME of  $\mathcal{E}_d$ ,  $d > 0$ . In each case, the equilibrium mappings in Definition 2 take the form  $P_d^E = P_d \circ W$  and  $K_d^E = K_d \circ W$  with  $P_d$  and  $K_d$  defined on  $\mathbb{W}$ . Thus, any ME is completely described by mappings defined on a one-dimensional set  $\mathbb{W}$  which we will refer to as the *reduced state space*. For this reason, the pair  $(P_d, K_d)$  will also be referred to as a ME of  $\mathcal{E}_d$ .

It will be convenient to impose restrictions on the reduced state space  $\mathbb{W}$  rather than  $\mathbb{X}$  directly. For this reason, we state the aforementioned boundary properties in terms of the wage process along the bubbleless equilibrium which evolves as

$$w_{t+1} = W_0^E(w_t, \theta_{t+1}) := W(K_0(w_t), \theta_{t+1}). \quad (9)$$

Mathematically, this representation of the equilibrium dynamics is equivalent to (8). The following assumption rules out that the wage process (9) converges to zero with probability one.

**Assumption 4**

The map  $W_0^E$  defined in (9) satisfies  $\liminf_{w \searrow 0} W_0^E(w, \theta_{\max})/w > 1$ .

Assumption 4 does not seem too restrictive, as it essentially excludes only economies for which capital converges to zero with probability one. In our view, such economies are not very interesting for the primary objective of this paper to study bubbly equilibria.

Assumptions 1 and 4 together with continuity of  $W_0^E$  ensure that the set of fixed points of  $W_0^E(\cdot, \theta_{\max})$  is non-empty and compact. Thus, defining

$$w_{\max} := \min \left\{ w > 0 \mid w = W_0^E(w, \theta_{\max}) \right\} \quad (10)$$

allows us to use  $\mathbb{W} := ]0, w_{\max}]$  as the reduced state space. Note that  $\mathbb{W}$  is self-supporting in the sense that  $w \in \mathbb{W}$  implies  $W_0^E(w, \theta) \in \mathbb{W}$  for all  $\theta \in \Theta$ . Further,  $W_0^E(\cdot, \theta_{\max})$  has  $w_{\max}$  as its unique fixed point which is globally asymptotically stable on  $\mathbb{W}$ .<sup>5</sup>

Setting  $k_{\max} := K_0(w_{\max})$  and  $\mathbb{K} = ]0, k_{\max}]$  permits to define  $\mathbb{X} := \mathbb{K} \times \Theta$  as the natural state space from Definition 2 along the bubbleless ME. In the next section, we show that these choices for  $\mathbb{W}$  and  $\mathbb{X}$  extend to the bubbly case and any ME of  $\mathcal{E}_d$  if  $d > 0$ . Thus, a major advantage of Assumption 4 is that it permits a bounded state space.

Some results of Section 4 will even require that  $\mathbb{W}$  and  $\mathbb{X}$  can be chosen compact along the bubbleless ME. In such cases, the following stronger restriction is imposed which rules out that the wage process (9) converges to zero even with positive probability.

---

<sup>5</sup>This uniqueness property will be important to obtain several results including Theorem 1. Otherwise, we could have defined  $w_{\max}$  in (10) to be the maximum fixed point of  $W_0^E(\cdot, \theta_{\max})$ .

---

**Assumption 5**

There exists  $\underline{w} > 0$  such that  $W_0^E(w, \theta_{\min}) > w$  for all  $w \leq \underline{w}$  with  $W_0^E$  defined in (9).

Assumption 5 ensures that  $W_0^E(\cdot, \theta_{\min})$  has at least one positive fixed point. Defining

$$w_{\min} := \min \left\{ w > 0 \mid w = W_0^E(w, \theta_{\min}) \right\} \quad (11)$$

ensures that  $\overline{\mathbb{W}} := [w_{\min}, w_{\max}]$  is a compact self-supporting set for the dynamics (9). While this would also permit to choose the state space  $\mathbb{X}$  compact along the bubbleless ME, these choices neither extend to the bubbly case nor to a ME of  $\mathcal{E}_d$  if  $d > 0$ .

A direct implication of Assumption 5 is  $\liminf_{w \searrow 0} W_0^E(w, \theta_{\min})/w \geq 1$ , which is mathematically essentially equivalent to (although slightly weaker than) the condition in (Wang 1993) discussed above. Further, since shocks in (9) are multiplicative, Assumption 5 implies Assumption 4 whenever  $\theta_{\max} > \theta_{\min}$ .

A potential problem with both Assumptions 4 and 5 is that they refer to derived objects and are not stated in terms of the primitives of the model. For this reason, we present two additional results which state restrictions on the primitives under which the stronger Assumption 5 holds. These restrictions should also be easy to verify in any numerical or empirical application of the model. As they are sufficient but not necessary, we will continue to work with Assumptions 4 and 5 in the following analysis.

**Lemma 2.1**

In addition to Assumptions 1 and 2, let the following conditions hold:

$$(a) \liminf_{k \searrow 0} \frac{W(k, \theta_{\min})}{k} > 1 \quad (b) \liminf_{k \searrow 0} \frac{\mathbb{E}_\nu [R(k, \cdot) v'(kR(k, \cdot))]}{u'(W(k, \theta_{\min}) - k)} > 1.$$

Then, Assumption 5 is satisfied.

Condition (a) is necessary for Assumption 5, as it excludes a poverty trap in which capital would converge to zero under the minimal shock  $\theta_{\min}$ , independently of any restriction on preferences. A sufficient restriction under which (a) holds is the so-called 'strengthened Inada' (SI) condition  $\lim_{k \searrow 0} k f''(k) = \infty$  introduced in (Galor & Ryder 1989). Note that this condition is implied by the left-side Inada condition from Assumption 1 whenever  $E_{f'}$  is bounded away from zero. Thus, it holds automatically under our Assumption 3 whenever there is some variation in risk aversion of second-period utility. As  $\lim_{k \searrow 0} f'(k) = \infty$ , condition (b) requires that  $\mathbb{E}_\nu \left[ \frac{\text{id}_\Theta(\cdot) v'(kR(k, \cdot))}{u'(W(k, \theta_{\min}) - k)} \right]$  is either bounded below or at least does not converge to zero 'too fast' as capital converges to zero (here,  $\text{id}_\Theta(\cdot)$  is the identity map on  $\Theta$ ). As  $\theta \mapsto \theta v'(\theta f'(k)k)$  is non-decreasing due to  $E_{v'} \leq 1$ , a sufficient condition for (b) is therefore

$$\liminf_{k \searrow 0} \frac{v'(kR(k, \theta_{\min}))}{u'(W(k, \theta_{\min}) - k)} > 0 \quad (12)$$

---

which is similar to the existence conditions in (Li & Lin 2012) for the deterministic case. An alternative restriction to enforce (a) is the so-called 'non-vanishing labor share' (NLS) condition  $\liminf_{k \searrow 0} \frac{f(k)}{k f'(k)} > 1$  which is generally stronger and implies SI whenever  $f(0) = 0$ .<sup>6</sup> The NLS condition is again satisfied if  $E_{f'}$  is bounded away from zero. Importantly, in the special case often studied in the literature where  $v(c) = \beta u(c)$  for some discount factor  $\beta > 0$ , NLS combined with Assumptions 1 and 2 also implies (12) and, therefore, condition (b). The same is true if instead  $f(0) > 0$  which holds, e.g., with CES production and an elasticity of substitution larger than one. As we did not find these last results in the literature, we state them in the following lemma.<sup>7</sup>

**Lemma 2.2**

*Under Assumptions 1 and 2, suppose  $\liminf_{k \searrow 0} \frac{f(k)}{k f'(k)} > 1$ . Then condition (a) from Lemma 2.1 holds. Moreover, if either  $v(c) = \beta u(c)$  for all  $c \in ]0, c_{\max}]$  or  $f(0) > 0$ , then (b) is also satisfied.*

### 3 Constructing Markov Equilibria

The pointwise construction of ME employed in Wang (1993) and the previous section is available only in the bubbleless case. For this reason, the following sections develop a more general approach which is based on methods from functional analysis similar to (Morand & Reffett 2007). It is shown in (Hillebrand 2014) that this approach is equivalent to the pointwise construction in Wang (1993) in the bubbleless case. Our method permits to construct ME of the general class of economies  $\mathcal{E}_d$ ,  $d \geq 0$  introduced in the previous section. Identifying conditions under which the solution obtained for  $d = 0$  defines a bubbly ME of the benchmark economy  $\mathcal{E}$  then becomes a separate issue to be explored in Section 4.

The following sections throughout impose Assumptions 1, 2, and 4. Using the results from Section 2.4, define  $w_{\max}$  as in (10) and the reduced state space  $\mathbb{W} = ]0, w_{\max}]$ ,  $k_{\max} := K_0(w_{\max})$  by (7),  $\mathbb{K} = ]0, k_{\max}]$ , and the natural state space  $\mathbb{X} = \mathbb{K} \times \Theta$ .

#### 3.1 Defining an operator $T_d$

Given  $d \geq 0$ , the following analysis aims to construct ME of  $\mathcal{E}_d$  as fixed points of an operator  $T_d$  defined on some suitably chosen function space  $\mathcal{G}$ . To restrict the class of

---

<sup>6</sup>To see this, suppose  $f(0) = 0$ . Then, by L'Hopital's rule,  $\lim_{k \searrow 0} \frac{f(k)}{k f'(k)} = \lim_{k \searrow 0} \frac{1}{1 - E_{f'}(k)}$ . The condition thus requires  $\lim_{k \searrow 0} E_{f'}(k) > 0$ . As  $\lim_{k \searrow 0} f'(k) = \infty$ , this can only hold under SI.

<sup>7</sup>For the deterministic OLG growth model, (Konishi & Perera-Tallo 1997) establish existence of a non-trivial steady state equilibrium when NLS holds and lifetime utility is homothetic, see their Corollary 1 on page 535. These restrictions are somewhat similar to those of Lemma 2.2 for the present stochastic case.

---

candidate equilibrium functions  $\mathcal{G}$ , a first and crucial observation is that the current state  $x_t = (k_t, \theta_t)$  enters the Euler equations (3a,b) only through the wage  $w_t = W(x_t)$ .<sup>8</sup> Therefore, we conjecture that, similar to the bubbleless equilibrium, the mappings from Definition 2 can be written as  $K_d^E = K_d \circ W$  and  $P_d^E = P_d \circ W$  where  $K_d : \mathbb{W} \rightarrow \mathbb{K}$  and  $P_d : \mathbb{W} \rightarrow \mathbb{R}_+$ . Under this hypothesis, the problem of determining a ME is equivalent to determining the two functions  $(K_d, P_d)$  consistent with the Euler equations (3a,b). Moreover, we will show below that any solution  $P_d$  uniquely determines the associated capital function  $K_d$ . Thus, we are essentially left to determine the function  $P_d$ . We restrict our search for this solution to the function space

$$\mathcal{G} := \left\{ P : \mathbb{W} \rightarrow \mathbb{R}_+ \left| \begin{array}{l} P \text{ is continuous} \\ w \mapsto P(w) \text{ is weakly increasing} \\ w \mapsto w - P(w) \text{ is weakly increasing} \end{array} \right. \right\}. \quad (13)$$

The space  $\mathcal{G}$  is endowed with the usual pointwise ordering, i.e.,  $P_1 \geq P_2$  ( $P_1 > P_2$ ) iff  $P_1(w) \geq P_2(w)$  ( $P_1(w) > P_2(w)$ ) for all  $w \in \mathbb{W}$ .

The previous insights greatly simplify the construction of ME because they permit to reduce the problem of determining two functions  $(P_d^E, K_d^E)$  both defined on  $\mathbb{X}$  to finding a single function  $P_d$  defined on the one-dimensional space  $\mathbb{W}$ . In the sequel we will construct  $P_d$  as a fixed point of some operator  $T_d$  defined on  $\mathcal{G}$ . The additional monotonicity restrictions in (13) will be necessary for this operator to be well-defined.

Let  $d \geq 0$  be arbitrary but fixed. The key ingredient to construct the operator  $T_d$  are the Euler equations (3a,b). The idea is as follows: At some fixed point in time, suppose next period's asset price is determined by some function  $P \in \mathcal{G}$  of next period's wage. Then, for any current state  $w \in \mathbb{W}$ , the current asset price  $p$  and capital investment  $k$  must solve the Euler equations (3a,b). Given  $P \in \mathcal{G}$  and some fixed  $w \in \mathbb{W}$ , let

$$H^1(k, p; w, P, d) := u'(w - p - k) - \mathbb{E}_\nu [R(k, \cdot) v'(P(W(k, \cdot)) + d + kR(k, \cdot))] \quad (14a)$$

$$H^2(k, p; w, P, d) := u'(w - p - k)p - \mathbb{E}_\nu [(P(W(k, \cdot)) + d) v'(P(W(k, \cdot)) + d + kR(k, \cdot))] \quad (14b)$$

which are defined for all  $0 < k < k_{\max}$  and  $p \geq 0$  such that  $k + p < w$ . Then, for any fixed  $\tilde{w} \in \mathbb{W}$ , the problem is to determine  $\tilde{k} \in \mathbb{K}$ , and  $\tilde{p} \geq 0$  such that  $\tilde{k} + \tilde{p} < \tilde{w}$  and

$$H^1(\tilde{k}, \tilde{p}; \tilde{w}, P, d) = H^2(\tilde{k}, \tilde{p}; \tilde{w}, P, d) = 0. \quad (15)$$

First, consider the problem (15) for  $d = 0$ . For this case, we have the following result.

---

<sup>8</sup>This property rests crucially on the i.i.d. structure of the shock process. While this will simplify the subsequent construction of ME considerably, we expect the underlying principle along with most of the results to carry over to more general classes of economies including correlated production shocks. Clearly, in this case the function space  $\mathcal{G}$  consists of mappings defined on  $\mathbb{X}$  rather than  $\mathbb{W}$ .

---

**Lemma 3.1**

Let Assumptions 1, 2, and 4 be satisfied and suppose  $d = 0$ . Then, for any  $P \in \mathcal{G}$  and  $\tilde{w} \in \mathbb{W}$ , there is a unique solution  $\tilde{p} \geq 0$  and  $\tilde{k} \in \mathbb{K}$  to (15).

Lemma 3.1 permits to define functions  $TP : \mathbb{W} \rightarrow \mathbb{R}_+$  and  $K_P : \mathbb{W} \rightarrow \mathbb{R}_{++}$  which determine the unique solution to (15) if  $d = 0$ , i.e.,  $TP(\tilde{w}) := \tilde{p}$  and  $K_P(\tilde{w}) := \tilde{k}$  for each  $\tilde{w} \in \mathbb{W}$ . This induces an operator  $T$  on  $\mathcal{G}$  which associates with any function  $P \in \mathcal{G}$  the new function  $T(P) := TP$ . We also denote by  $K_\bullet$  the operator on  $\mathcal{G}$  which assigns to  $P \in \mathcal{G}$  the function  $K_P$ .<sup>9</sup>

The following result shows that  $T$  maps  $\mathcal{G}$  into itself and establishes several additional properties. Here, the additional restriction (5) from Assumption 3 is needed to ensure that  $T$  maps monotonic functions to monotonic functions.

**Lemma 3.2**

In addition to Assumptions 1, 2, and 4, let Assumption 3 hold. Then  $T : \mathcal{G} \rightarrow \mathcal{G}$ . Further, for each  $P \in \mathcal{G}$  the following holds:

- (i)  $T(P) < \text{id}_{\mathbb{W}}$ ,  $P > 0$  implies  $T(P) > 0$  while  $P = 0$  implies  $T(P) = 0$ .
- (ii)  $K_P$  is continuous and increasing,  $K_P \leq K_0 < \text{id}_{\mathbb{W}}$  and  $P > 0$  implies  $K_P < K_0$ .

In a second step, consider now the problem (15) for  $d > 0$ . Observe that this problem is identical to the case where  $d = 0$  if  $P$  is replaced by the function  $\hat{P} = P + d$ , i.e.,  $\hat{P}(w) := P(w) + d$  for all  $w \in \mathbb{W}$ . Clearly,  $P \in \mathcal{G}$  implies  $P + d \in \mathcal{G}$  for all  $d \geq 0$ . Thus, define for each fixed  $d \geq 0$  the operator  $T_d$  on  $\mathcal{G}$  as

$$T_d(P) = T(P + d). \quad (16)$$

Then, by Lemmata 3.1 and 3.2, for each  $P \in \mathcal{G}$ ,  $\tilde{w} \in \mathbb{W}$  and fixed  $d \geq 0$ , the unique solution to (15) is given by  $\tilde{p} = T_d P(\tilde{w})$  and  $\tilde{k} = K_{P+d}(\tilde{w})$ . In particular,  $T_0 = T$ . The relation (16) shows that  $T_d$  inherits all properties derived above for  $T$ . In particular,  $T_d$  maps  $\mathcal{G}$  into itself and  $T_d(P) < \text{id}_{\mathbb{W}}$  for all  $P \in \mathcal{G}$ .

### 3.2 Monotonicity properties of $T_d$

We conjecture – and prove in the next subsection – that a fixed point of  $T_d$ , i.e., a function  $P_d^* \in \mathcal{G}$  such that  $P_d^* = T_d P_d^*$  together with the induced capital function  $K_d^* = K_{P_d^*+d}$  define a ME of  $\mathcal{E}_d$ . In this regard, the last result from Lemma 3.2 implies  $K_d^* \leq K_0$  with the latter defined by (7). This property permits to employ  $\mathbb{W} = ]0, w_{\max}]$  as the reduced state space and  $\mathbb{X} = \mathbb{K} \times \Theta$  as the natural state space along *any* ME.

---

<sup>9</sup>As  $K_P$  yields the solution  $K_0$  defined by (7) for  $P \equiv 0$ , this notation is consistent with Section 2.4.

---

Our ultimate goal in this paper is to prove the existence of a BME which corresponds to a non-trivial fixed point  $P_0^* > 0$  of  $T$ . Unfortunately, however, Lemma 3.2 already showed that the trivial solution  $P = 0$  is always a fixed point of  $T$ , so a mere existence result will not help. Instead, we will explicitly construct fixed points as pointwise limits of sequences of function. The method is similar to the one developed in (Greenwood & Huffman 1995), see also Morand and Reffett (2003, 2007).

A key property for this construction to be successful is that  $T_d$  be monotonic which, by (16) is equivalent to monotonicity of  $T$  which we will consider first. A major obstacle to establish this property globally on  $\mathcal{G}$  is that the methods from differential calculus including the implicit function theorem are not available for all functions in  $\mathcal{G}$ . To remedy this problem, we will temporarily restrict ourselves (respectively  $T$ ) to the smaller set

$$\mathcal{G}' := \{P \in \mathcal{G} \mid P \text{ is } C^1\} \quad (17)$$

of continuously differentiable functions in  $\mathcal{G}$ . Observe that  $\mathcal{G}'$  still contains the trivial solution  $P \equiv 0$ . The next result shows that  $T$  maps  $\mathcal{G}'$  into itself.

**Lemma 3.3**

*Under the hypotheses of Lemma 3.2,  $P \in \mathcal{G}'$  implies  $TP \in \mathcal{G}'$ .*

The following result now establishes the monotonicity of  $T$  on  $\mathcal{G}'$  which will turn out to be sufficient to apply the construction principle below. In addition, we show that  $K_\bullet$  is strictly decreasing on  $\mathcal{G}'$  which resembles the usual crowding-out effect of assets.

**Lemma 3.4**

*Let Assumptions 1, 2, and 4 hold. Then,  $T$  is monotonically increasing on  $\mathcal{G}'$ , i.e., for any  $P_0, P_1 \in \mathcal{G}'$ ,  $P_1 \geq P_0$  implies  $T(P_1) \geq T(P_0)$  and  $P_1 > P_0$  implies  $T(P_1) > T(P_0)$ . Moreover,  $K_\bullet$  is monotonically decreasing on  $\mathcal{G}'$ .*

It follows directly from (16) that the operator  $T_d$  inherits again all previous properties from  $T$ . In particular,  $T_d$  is monotonic on  $\mathcal{G}'$  and maps this subclass into itself. In addition, the map  $d \mapsto T_d$  is monotonic in the sense that  $d_1 \geq d_0$  implies  $T_{d_1}P \geq T_{d_0}P$  for all  $P \in \mathcal{G}'$ . For later reference, we state these properties formally in the next result.

**Corollary 3.1**

*Under the hypotheses of Lemma 3.4,  $T_d$  satisfies the following monotonicity properties:*

- (i) *For all  $d \in \mathbb{R}_+$  and  $P_0, P_1 \in \mathcal{G}'$ :  $P_1 \geq (>)P_0$  implies  $T_dP_1 \geq (>)T_dP_0$ .*
- (ii) *For all  $P \in \mathcal{G}'$  and  $d_0, d_1 \in \mathbb{R}_+$ :  $d_1 \geq (>)d_0$  implies  $T_{d_1}P \geq (>)T_{d_0}P$ .*



---

### 3.3 Constructing ME as fixed points of $T_d$

Let  $d \geq 0$  be arbitrary but fixed. We are now in a position to construct ME of  $\mathcal{E}_d$  as fixed points of  $T_d$ . For  $m \in \mathbb{N}$ , let  $T_d^m$  denote the  $m$ -fold composition of  $T_d$  with itself, i.e.,  $T_d^m = T_d \circ T_d^{m-1}$ . As  $T_d P = T(P + d) < \text{id}_{\mathbb{W}}$  for all  $P \in \mathcal{G}$  by Lemma 3.2, the identity map  $\text{id}_{\mathbb{W}} \in \mathcal{G}'$  defines a natural upper bound for any fixed point of  $T_d$ . Thus, define the sequence of functions  $(P_d^m)_{m \geq 0}$  recursively by setting  $P_d^0 \equiv P_0 := \text{id}_{\mathbb{W}}$  and  $P_d^m := T_d(P_d^{m-1}) = T_d^m P_0$ . By Lemma 3.3, this sequence is well-defined and  $P_d^m \in \mathcal{G}'$  for all  $m \geq 0$ . Further,  $P_d^1 < P_d^0$  implies  $P_d^{m+1} < P_d^m$  for all  $m \geq 0$  by monotonicity of  $T_d$ , i.e.,  $(P_d^m)_{m \geq 0}$  is strictly decreasing. Thus, the pointwise limit

$$P_d^*(w) := \lim_{m \rightarrow \infty} P_d^m(w) = \lim_{m \rightarrow \infty} T_d^m P_0(w) \quad (18)$$

is well-defined for all  $w \in \mathbb{W}$  as  $(P_d^m(w))_{m \geq 0}$  is a strictly decreasing sequence of real numbers bounded by zero. We show that the limiting function satisfies  $P_d^* \in \mathcal{G}$ . For each  $m \geq 1$ ,  $P_d^m \in \mathcal{G}$  implies that  $w \mapsto P_d^m(w)$  and  $w \mapsto w - P_d^m(w)$ ,  $w \in \mathbb{W}$  are both increasing. Thus, for any  $0 < w_1 < w_2 \leq w_{\max}$  the inequalities  $P_d^m(w_1) \leq P_d^m(w_2)$  and  $w_1 - P_d^m(w_1) \leq w_2 - P_d^m(w_2)$  being true for all  $m \geq 1$  also hold in the limit and imply that  $P_d^*$  inherits the previous monotonicity properties. Using an argument developed and proved in Morand and Reffett (2003, p.1369), these properties already imply continuity of  $P_d^*$ . Thus,  $P_d^* \in \mathcal{G}$ . Note, however, that we can not be certain that  $P_d^* \in \mathcal{G}'$ .

The previous findings lead to the following main result.

#### Theorem 1

Let Assumptions 1, 2, 3, and 4 hold. Then, for each  $d \geq 0$  the functions  $P_d^*$  defined in (18) and  $K_d^* := K_{P_d^*+d}$  satisfy the following:

- (i)  $P_d^*$  is a fixed point of  $T_d$  which satisfies  $P_d^* > 0$  for  $d > 0$  and either  $P_0^* > 0$  or  $P_0^* = 0$  if  $d = 0$ . Moreover,  $d > d' \geq 0$  implies  $P_d^* \geq P_{d'}^*$  and  $K_d^* < K_{d'}^*$ .
- (ii) Both mappings  $P_d^*$  and  $K_d^*$  are continuous and increasing.
- (iii)  $K_d^E := K_d^* \circ W$  and  $P_d^E := P_d^* \circ W$  is a ME of  $\mathcal{E}_d$  on  $\mathbb{X} = \mathbb{K} \times \Theta$ .

Theorem 1 shows that our algorithm delivers a unique ME for each  $d \geq 0$  with asset prices being strictly positive whenever  $d > 0$ . Moreover, (i) shows that these prices increase with dividend payments, which is certainly what one would expect. Further, higher asset prices and dividends reduce capital formation, which is the usual crowding out effect. Intuitively, consumers form less capital when asset pay-offs in the second period are higher. Assertion (ii) shows that both capital and asset prices increase with first-period income, i.e., higher income increases investment in both capital and assets.

For  $d = 0$ , the previous construction also delivers a unique ME  $(K_0^*, P_0^*)$  of  $\mathcal{E}$ . However, it may be the case that  $P_0^* = 0$ . Clearly, this would imply  $K_0^* = K_0$  defined by (7)

---

which yields precisely the bubbleless equilibrium studied in Section 2.4. Therefore, the main question to be answered in the remainder of the paper is, when does  $P_0^* > 0$  hold? Before exploring this question in the next section, we present an alternative way to construct the ME from Theorem 1 for the benchmark economy  $\mathcal{E}$ . The proof of our main existence result will be based on this construction. The idea is to obtain the ME of  $\mathcal{E}$  as the limit of ME of dividend economies  $\mathcal{E}_d$  as  $d$  goes to zero. Formally, let  $(d_n)_{n \geq 1}$  be a decreasing sequence of dividends such that  $d_n \geq 0$  for all  $n$  and  $\lim_{n \rightarrow \infty} d_n = 0$ . By Theorem 1, for each  $n \geq 1$  the functions  $P_{d_n}^*$  defined by (18) and  $K_{d_n}^* = K_{P_{d_n}^* + d_n}$  define a ME of  $\mathcal{E}_{d_n}$ . The following result shows that the sequence of ME constructed in this fashion indeed converges (pointwise) to the ME of  $\mathcal{E}$  defined by Theorem 1.

**Lemma 3.5**

*For any positive dividend sequence  $(d_n)_{n \geq 1}$  converging monotonically to zero, the induced sequence of ME  $(K_{d_n}^*, P_{d_n}^*)_{n \geq 1}$  from Theorem 1 converges pointwise to  $(K_0^*, P_0^*)$ .*

## 4 Existence of Bubbly Markov Equilibria

In this section we establish necessary and sufficient conditions under which the ME  $(K_0^*, P_0^*)$  constructed in Theorem 1 is bubbly, i.e.,  $P_0^* > 0$ . Our main result stated as Theorem 2 below shows that this is the case whenever the bubbleless equilibrium derived in Section 2.4 is Pareto inefficient. As the proof requires that the (reduced) state space can be chosen compact along this equilibrium, the following sections replace our previous Assumption 4 by the stronger Assumption 5. In addition, the formal arguments in the proofs of Lemma 4.1 and Theorem 2 below assume that the shock space  $\Theta$  is finite without explicit notice. These restrictions allow us to directly use the characterization of Pareto-inefficiency along with Proposition 4 from Barbie et al. (2007). While we are confident that an extension of these results to infinite shock spaces would, in principle, be possible and could be obtained along the lines of the proof of Proposition 1 in (Barbie & Kaul 2015), we decided to restrict ourselves here to results that are already available. All other arguments and proofs in this section are formulated and hold also for the general case where  $\Theta$  is an interval.

In this section, define  $w_{\max}$  by (10) and  $w_{\min}$  by (11). As a notational convention, a superscript  $*$  identifies functions associated with the ME constructed in Theorem 1.

### 4.1 Pareto efficiency, dynamic efficiency, and risk sharing

Our concept of Pareto optimality corresponds to *Interim Pareto Optimality (IPO)* as defined and studied, e.g., in (Demange & Laroque 2000) or *Conditional Pareto Optimality (CPO)* as in (Chattopadhyay & Gottardi 1999). The following definition formalizes this

---

concept for the class of economies  $\mathcal{E}_d$  defined above for a fixed value  $d \geq 0$ . To identify and distinguish the potential sources of Pareto inefficiency below, we also introduce the concept of dynamic efficiency as studied in (Zilcha 1990) and others.

**Definition 4**

- (i) Given  $x_0 = (k_0, \theta_0) \in \mathbb{X}$ , a feasible allocation of  $\mathcal{E}_d$  is an adapted stochastic process  $a = \{k_{t+1}, c_t^y, c_t^o\}_{t \geq 0}$  with values in  $\mathbb{R}_+^3$  which satisfies the resource constraint

$$k_{t+1} + c_t^y + c_t^o = f(k_t, \theta_t) + d$$

for all  $t \geq 0$ . The set of feasible allocations of  $\mathcal{E}_d$  is denoted  $\mathbb{A}_d(x_0)$ .

- (ii) Allocation  $a \in \mathbb{A}_d(x_0)$  (Pareto) dominates allocation  $\tilde{a} \in \mathbb{A}_d(x_0)$  if  $c_0^o \geq \tilde{c}_0^o$  and

$$u_t := \mathbb{E}_t [u(c_t^y) + v(c_{t+1}^o)] \geq \mathbb{E}_t [u(\tilde{c}_t^y) + v(\tilde{c}_{t+1}^o)] =: \tilde{u}_t$$

for all  $t \geq 0$  and for some  $t \geq 0$  there exists a non-empty set  $A \in \mathcal{F}_t$  such that  $u_t(\omega) > \tilde{u}_t(\omega)$  for all  $\omega \in A$ .

- (iii) Allocation  $a \in \mathbb{A}_d(x_0)$  is called Pareto optimal or efficient if it is not dominated by any other allocation in  $\mathbb{A}_d(x_0)$ . Otherwise, it is called inefficient.

- (iv) Allocation  $a \in \mathbb{A}_d(x_0)$  is called dynamically efficient if there is no other allocation  $\tilde{a} \in \mathbb{A}_d(x_0)$  such that

$$c_t := \theta_t f(k_t) - k_{t+1} \leq \theta_t f(\tilde{k}_t) - \tilde{k}_{t+1} =: \tilde{c}_t$$

for all  $t \geq 0$  and for some  $t \geq 0$  there exists a non-empty set  $A \in \mathcal{F}_t$  such that  $c_t(\omega) < \tilde{c}_t(\omega)$  for all  $\omega \in A$ . Otherwise, it is called dynamically inefficient.

For the class of stochastic OLG economies with production studied in this paper, there are two potential reasons why equilibrium allocations may be Pareto inefficient. The first one is *dynamic inefficiency* corresponding to an overaccumulation of capital. This concept was originally introduced in (Cass 1972) for the deterministic case and extended to the stochastic case by (Zilcha 1990). If an allocation is dynamically inefficient, a small reduction in initial capital formation leads to a Pareto improvement by increasing aggregate consumption in *all* future periods and under *any* possible path of shocks. If an allocation is dynamically inefficient, the introduction of a bubbly asset offers an alternative investment opportunity to consumers which induces an additional income transfer from young to old consumers and may be Pareto-improving by crowding out capital investment. For the deterministic case, this the result from (Tirole 1985).

A complete characterization of dynamic inefficiency of feasible allocations is possible based on the process of capital returns  $\{\theta_t f'(k_t)\}_{t \geq 0}$  supporting the allocation, cf. (Zilcha 1990). Intuitively, it requires these returns to be smaller than unity 'sufficiently often' along any possible path of shocks which generalizes the well-known deterministic results.

---

A second source of inefficiency arises from potentially *inefficient risk sharing* between generations. In such cases, a Pareto improvement can be accomplished by redistributing aggregate income between young and old consumers via state-dependent transfers. A bubbly asset which accomplishes this can be seen as a form of government debt with state-dependent return rolled-over indefinitely generalizing the basic idea of (Samuelson 1958). In a stochastic world, however, the conditions under which such a roll-over is possible depend not only on the absolute level of intergenerational transfers but also on their relative size in different states of the world. Therefore, a bubbly asset not only redistributes resources between young and old consumers, but also changes the stochastic structure of their incomes. If the latter increases utility of each generation, we call this an improvement in risk sharing.

Intuitively, a bubbly asset can improve risk sharing by allowing for state-contingent transfers that otherwise would not be possible. For example, along the bubbleless equilibrium studied in Section 2.4, the risk to which consumption in the first and second period of life is exposed is exclusively determined by the risk structure of wages and capital returns. In our model, due to the multiplicative structure of shocks in (1), consumption of both generations in each period are perfectly correlated. Introducing a bubbly asset with a return imperfectly correlated with the return on capital (e.g., offering a riskless return) allows to change the risk structure of first and second-period consumption which may increase utility of each generation. In fact, this positive effect may overcompensate the crowding-out effect of the bubble and lead to a Pareto-improvement even if the initial allocation is dynamically efficient. In Section 4.5 we present an example where the bubbleless equilibrium is dynamically efficient but Pareto inefficient due to inefficient risk-sharing in this sense. The relation between the previous concepts for competitive equilibrium allocations has also been examined in Barbie et al.(2007).

A characterization of Pareto-inefficiency can not be merely based on capital returns supporting the allocation but must take into account how each generation is willing to substitute incomes today and tomorrow in different states of the world. Based on this idea, the first part of this chapter uses the *pricing kernel* to obtain a complete characterization of Pareto inefficiency for equilibrium allocations defined recursively on the natural state space. Our main result in Theorem 2 below then establishes that the benchmark economy  $\mathcal{E} = \mathcal{E}_0$  has a BME whenever the bubbleless equilibrium allocation is Pareto inefficient. Stating this result formally requires the concept of a *Markovian equilibrium allocation* which is introduced in the next section.

## 4.2 Markovian equilibrium allocations (MEA)

For fixed  $d \geq 0$ , identify a ME of  $\mathcal{E}_d$  with the mappings  $(K, P)$  on  $\mathbb{W} = ]0, w_{\max}]$  constructed as in the previous sections (here and in the sequel we drop the subscript  $d$  when convenient). We seek to derive the induced mappings which determine the consumption

---

process along a ME. It will be convenient to define these mappings on the reduced state space  $\mathbb{W}$  rather than  $\mathbb{X}$  and to identify the state at time  $t$  by  $w_t$ . For this reason, we fix the realization of the initial shock  $\theta_0 \in \Theta^{10}$  and define the consumption mappings associated with a ME  $(K, P)$  as

$$\begin{aligned} C^y : \mathbb{W} &\longrightarrow \mathbb{R}_{++}, & C^y(w) &:= w - K(w) - P(w) \\ C^o : \mathbb{W} \times \Theta &\longrightarrow \mathbb{R}_{++}, & C^o(w, \theta) &:= P(W(K(w), \theta)) + d + K(w)R(K(w), \theta). \end{aligned} \quad (19)$$

We call the triple  $A = (K, C^y, C^o)$  a *Markovian Equilibrium Allocation* (MEA). The *pricing kernel* associated with  $A$  is defined as the map  $m_A : \mathbb{W} \times \Theta \longrightarrow \mathbb{R}_{++}$ ,

$$m_A(w, \theta) := \frac{v'(C^o(w, \theta))}{u'(C^y(w))}. \quad (20)$$

For each  $w_0 \in \mathbb{W}$ , a MEA determines a unique feasible allocation  $a^E(w_0) \in \mathbb{A}_d(x_0)$  where  $k_{t+1} = K(w_t)$ ,  $c_t^y = C^y(w_t)$ ,  $c_{t+1}^o = C^o(w_t, \theta_{t+1}) = C^o(w_t, w_{t+1}/W(K(w_t), 1))$  for  $t \geq 0$  while old-age consumption  $c_0^o$  in  $t = 0$  follows from the aggregate resource constraint. Consequently, we adopt the following notions of efficiency/inefficiency for MEA.<sup>11</sup>

**Definition 5**

A MEA  $A = (K, C^y, C^o)$  is called

- (i) *efficient/inefficient* at  $w_0 \in \mathbb{W}$  if  $a^E(w_0)$  is *efficient/inefficient*.
- (ii) *efficient/inefficient* on  $\overline{\mathbb{W}} \subset \mathbb{W}$  if  $A$  is *efficient/inefficient* at all  $w_0 \in \overline{\mathbb{W}}$ .
- (iii) *efficient/inefficient* if it is *efficient/inefficient* at each  $w_0 \in \mathbb{W}$ .<sup>12</sup>

The previous formulation permits consumption and capital along the ME to be expressed as functions of the (reduced) state process  $\{w_t\}_{t \geq 0}$ . Given  $w_0 \in \mathbb{W}$ , the statistical evolution of this process is determined by a time-invariant transition probability  $Q$  (see Appendix B for details). Therefore, the lifetime utility  $u_t$  of generation  $t$  from Definition 4 (ii) also depends exclusively on the state  $w_t$ . Combining results from Barbie et al. (2007) and (Barbie & Kaul 2015), these properties will allow us to characterize the (in-)efficiency of MEA in terms of mappings defined on a one-dimensional state space which greatly simplifies this characterization. To obtain these results, the following additional restrictions on MEA will be employed.

---

<sup>10</sup>This restriction is necessary because initial old-age consumption  $c_0^o$  can, in general, not be written as a function of  $w_0$  but requires knowledge of the full initial state  $x_0$ . If  $\theta_0$  is fixed, there is a one-to-one correspondence between  $w_0$  and the initial state  $x_0$  and the process  $\{x_t\}_{t \geq 0}$  can fully be recovered from  $\{w_t\}_{t \geq 0}$  as  $k_t = K(w_{t-1})$  and  $\theta_t = w_t/W(k_t, 1)$  for  $t \geq 1$ .

<sup>11</sup>An analogous terminology is adopted in the case of dynamic (in-) efficiency of a MEA.

<sup>12</sup>Under the additional restrictions from Lemma 4.1 (ii) below, the efficiency properties of  $A$  become to some extent independent of the initial state  $w_0$ .

---

**Definition 6**

Let  $A = (K, C^y, C^o)$  be a MEA defined as above.

- (i) We call  $A$  continuous if the mappings  $K$ ,  $C^y$ , and  $C^o$  are all continuous.
- (ii) We call a subset of the form  $\overline{\mathbb{W}} = [\underline{w}, w_{\max}] \subset \mathbb{W}$  a stable set and  $\underline{w} > 0$  a lower bound (of  $A$ ) if  $w \in \overline{\mathbb{W}}$  implies  $W(K(w), \theta) \in \overline{\mathbb{W}}$  for all  $\theta \in \Theta$ .
- (iii) We call  $A$  bounded, if for each  $w_0 \in \mathbb{W}$  there is some stable set  $\overline{\mathbb{W}}$  containing  $w_0$ .

The existence of a stable set excludes cases where the state variable converges to zero under some unfavorable sequence of shocks. A stable set can always be chosen as a compact state space because states in this set stay in it under any realization of shocks.

For each  $d \geq 0$ , denote by  $A_d^* = (K_d^*, C_d^{y,*}, C_d^{o,*})$  the MEA associated with the ME  $(K_d^*, P_d^*)$  from Theorem 1. Further, let  $A_0 = (K_0, C_0^y, C_0^o)$  be the MEA associated with the bubbleless ME of  $\mathcal{E}$  derived in Section 2.4. That is,  $K_0$  is defined by (7),  $C_0^y(w) := w - K_0(w)$ , and  $C_0^o(w, \theta) := K_0(w)R(K_0(w), \theta)$  for all  $w \in \mathbb{W}$  and  $\theta \in \Theta$ . Note that  $A_0^*$  coincides with  $A_0$  if and only if  $(K_0^*, P_0^*)$  is bubbleless, i.e.,  $P_0^* = 0$ . This observation will play a key role in the next section. Also observe that  $A_0$  and each  $A_d^*$  are continuous by the results from Section 2.4 and Theorem 1 (ii) and that  $A_0$  is bounded under the additional restriction from Assumption 5.

### 4.3 A general existence theorem

We are now in a position to state our main existence result in the following theorem.

**Theorem 2**

Let Assumptions 1, 2, 3, and 5 hold. If  $A_0$  is inefficient, then  $(K_0^*, P_0^*)$  defines a BME of  $\mathcal{E}$ , i.e.,  $P_0^* > 0$ .

The intuition behind the proof of Theorem 2 is straightforward. Consider a monotonic sequence of strictly positive dividend payments  $(d_n)_{n \geq 1}$  which converges to zero. For each  $n \geq 1$ , construct the ME  $(K_{d_n}^*, P_{d_n}^*)$  of  $\mathcal{E}_{d_n}$  as in Theorem 1 and denote by  $A_{d_n}^*$  the induced MEA defined as above. It is well-known that each  $A_{d_n}^*$ , being an equilibrium allocation of an economy with a dividend-paying asset, is efficient. Intuitively, one would expect that this efficiency also holds in the limit such that the sequence  $(A_{d_n}^*)_{n \geq 1}$  can not converge to  $A_0$  if  $A_0$  is inefficient. Thus,  $A_0 \neq A_0^*$  which is only possible if  $P_0^* > 0$ , i.e.,  $(K_0^*, P_0^*)$  is bubbly.<sup>13</sup>

---

<sup>13</sup>The same kind of argument is used in (Barbie & Kaul 2015), going back to the basic idea in (Aiyagari & Peled 1991), for the case of an exchange economy, where instead of the monotonicity methods applied here Schauder's fixed point theorem is used. Since in our framework in addition the capital stock adjusts as an endogenous variable, the analysis becomes more complicated than under pure exchange.

---

We preface the proof of Theorem 2 by the following three lemmata. The first result is a sort of unit root condition, which is used in OLG models with finitely many states to characterize the Pareto optimality of stationary competitive equilibria. The proof of part (i) is an adaption of the results from Barbie et al.(2007) and (Barbie & Kaul 2015). Part (ii) goes beyond the previous results and provides together with Lemma 4.2 and Lemma 4.3 a complete characterization of inefficiency. This part makes use of our monotonicity assumptions to obtain the more general result. The proofs are relegated to Appendix B. Also note the similarity of (21) below to the conditions for inefficiency in (Demange & Laroque 2000) or (Magill & Quinzii 2003).

**Lemma 4.1**

Let  $A = (K, C^y, C^o)$  be a bounded and continuous MEA and define  $m_A$  as in (20).

(i) If  $A$  is inefficient, there is an upper-semi-continuous function  $\eta : \mathbb{W} \rightarrow ]0, 1]$  such that

$$\mathbb{E}_\nu [\eta(W(K(w), \cdot)) m_A(w, \cdot)] > \eta(w) \text{ for all } w \in \mathbb{W}. \quad (21)$$

(ii) If  $m_A$  is increasing, then  $\eta$  in (i) can be chosen continuous. Moreover, if  $A$  is inefficient at some  $w_0 \in \mathbb{W}$ , it is also inefficient for all  $w'_0 \geq w_0$ .

Let  $m_0 := m_{A_0}$  be the pricing kernel associated with the bubbleless allocation  $A_0$ . Our next result ensures that  $\eta$  in (21) can be chosen continuous whenever  $A_0$  is inefficient.

**Lemma 4.2**

If Assumptions 1, 2, 3, and 4 hold, then  $m_0$  is increasing.

Finally, we have the following sufficient condition for inefficiency. This condition also appears as part of Theorem 1 of (Barbie & Kaul 2015) and as Theorem 1 in (Demange & Laroque 2000). The proof we give here is similar to the ones given in these papers.

**Lemma 4.3**

Let  $A = (K, C^y, C^o)$  be continuous and  $\overline{\mathbb{W}}$  be a stable set of  $A$ . If a continuous function  $\eta : \overline{\mathbb{W}} \rightarrow ]0, 1]$  satisfies (21) for all  $w \in \overline{\mathbb{W}}$ , then  $A$  is inefficient on  $\overline{\mathbb{W}}$ .

We are now in a position to prove Theorem 2 in five steps.

*Step 1:* Let  $w_0 \in \mathbb{W}$  be arbitrary and  $\overline{\mathbb{W}} = \overline{\mathbb{W}}_{A_0} = [w, w_{\max}]$  be a stable set of  $A_0$  containing  $w_0$  such that  $W(K_0(w), \theta_{\min})/w > 1$ . Assumption 5 ensures that such a set exists. By hypothesis,  $A_0$  is inefficient at  $w_0$ . Thus, invoking Lemmata 4.1 and 4.2, there exists a continuous function  $\eta : \mathbb{W} \rightarrow ]0, 1]$  such that for all  $w \in \overline{\mathbb{W}}$ :

$$\mathbb{E}_\nu [\eta(W(K_0(w), \cdot)) m_0(w, \cdot)] > \eta(w). \quad (22)$$

*Step 2:* Define the sequence  $(d_n)_{n \geq 1}$  as  $d_n := \bar{d}/n$  for  $n \geq 1$  with  $\bar{d} > 0$  specified below. For each  $n \geq 1$ , let  $(K_{d_n}^*, P_{d_n}^*)$  be the ME of  $\mathcal{E}_{d_n}$  from Theorem 1 and define the

induced MEA  $A_{d_n}^* = (K_{d_n}^*, C_{d_n}^{y*}, C_{d_n}^{o*})$  as in Section 4.2. By Lemma 3.5, the sequence  $(K_{d_n}^*, P_{d_n}^*)_{n \geq 1}$  converges pointwise to the ME  $(K_0^*, P_0^*)$  of  $\mathcal{E}$  which satisfies either  $P_0^* = 0$  or  $P_0^* > 0$ . We will show that the first case is impossible under the hypotheses of the theorem. Thus, with the aim of obtaining a contradiction, the remainder assumes  $P_0^* = 0$  which implies  $K_0^* = K_0$ . Then, the sequence  $(A_{d_n}^*)_{n \geq 1}$  converges pointwise to  $A_0 = (K_0, C_0^y, C_0^o)$  defined above. Further, the sequence  $(m_n)_{n \geq 1}$  of pricing kernels  $m_n := m_{A_{d_n}^*}$  associated with  $A_{d_n}^*$  defined in (20) converges pointwise to  $m_0 = m_{A_0}$ .

*Step 3:* We choose  $\bar{d} > 0$  such that  $\bar{\mathbb{W}} = [\underline{w}, w_{\max}]$  is stable for each  $A_{d_n}^*$ . Since  $(K_{d_n}^*)_{n \geq 1}$  is increasing by Theorem 1 (i), it suffices to specify  $\bar{d}$  such that  $\bar{\mathbb{W}}$  is stable for  $A_{\bar{d}}^*$ . As  $\delta := W(K_0(w), \theta_{\min})/\underline{w} > 1$  and  $K_{\bar{d}}^* = K_{\bar{d}}^*$  converges pointwise to  $K_0$  for  $\bar{d} \searrow 0$  due to Lemma 3.5, choosing  $\bar{d} > 0$  small ensures  $W(K_{\bar{d}}^*(w), \theta_{\min})/\underline{w} > 1$ . Then,  $w \geq \underline{w}$  implies  $W(K_{\bar{d}}^*(w), \theta) \geq W(K_{\bar{d}}^*(w), \theta_{\min}) \geq W(K_{\bar{d}}^*(\underline{w}), \theta_{\min}) > \underline{w}$ , i.e.,  $\bar{\mathbb{W}}$  is stable for  $A_{\bar{d}}^*$ .

*Step 4:* Standard arguments imply that each  $A_{d_n}^*$  is efficient on  $\bar{\mathbb{W}}$ . To see this, define for  $n \geq 1$  the continuous function  $R_n^*(w, \theta) := (P_{d_n}^*(W(K_{d_n}^*(w), \theta)) + d_n)/P_{d_n}^*(w)$  which satisfies  $\mathbb{E}_\nu[m_n(w, \cdot)R_n^*(w, \cdot)] = 1$  for all  $w \in \bar{\mathbb{W}}$ . Thus,  $R_n^*$  is a return in the sense of Barbie et al. (2007), cf. their equation (5). For all  $N > 0$  and  $w_0 \in \bar{\mathbb{W}}$ , monotonicity of  $P_{d_n}^*$  implies  $\prod_{t=1}^N R_n^*(w_{t-1}, \theta_t) \geq P_{d_n}^*(w_N)/P_{d_n}^*(w_0) \geq P_{d_n}^*(\underline{w})/P_{d_n}^*(w_{\max}) =: M$  for any realization of shocks  $\theta_1, \dots, \theta_N$  where  $w_t = W(K_{d_n}^*(w_{t-1}), \theta_t)$ . Note that  $M$  is independent of  $N$  and the shocks. Using Proposition 4(a) in Barbie et al. (2007), this implies that  $A_{d_n}^*$  is interim Pareto efficient on  $\bar{\mathbb{W}}$ .<sup>14</sup>

*Step 5:* Combining the previous result with Lemma 4.3 shows that for each  $n \geq 1$  there exists some  $w_n \in \bar{\mathbb{W}}$  such that

$$\mathbb{E}_\nu[\eta(W(K_{d_n}^*(w_n), \cdot))m_n(w_n, \cdot)] \leq \eta(w_n). \quad (23)$$

Since  $\bar{\mathbb{W}}$  is compact, the sequence  $(w_n)_{n \geq 1}$  contains a subsequence converging to some  $w^* \in \mathbb{W}$ . Denote this sequence again by  $(w_n)_{n \geq 1}$ . Clearly,  $\lim_{n \rightarrow \infty} \eta(w_n) = \eta(w^*)$  by continuity of  $\eta$ . We would like to show that for all  $\theta \in \Theta$

$$\lim_{n \rightarrow \infty} \eta(W(K_{d_n}^*(w_n), \theta))m_n(w_n, \theta) = \eta(W(K_0(w^*), \theta))m_0(w^*, \theta). \quad (24)$$

Since all functions in (24) are continuous, it suffices to show that  $\lim_{n \rightarrow \infty} P_{d_n}^*(w_n) = 0$  and  $\lim_{n \rightarrow \infty} K_{d_n}^*(w_n) = K_0(w^*)$ . We have that  $\lim_{n \rightarrow \infty} \sup\{P_{d_n}^*(w) \mid w \in \bar{\mathbb{W}}\} = 0$  by Theorem A in (Buchanan & Hildebrandt 1908)<sup>15</sup>, which immediately gives the result for  $P_{d_n}^*$ . Also by Theorem A in (Buchanan & Hildebrandt 1908),  $(K_{d_n}^*)_{n \geq 1}$  being a

<sup>14</sup>The result that economies with a dividend paying asset have efficient equilibria is well-known and can also be proved by defining state contingent claims prices and showing that the value of the aggregate endowment is finite (due to the presence of dividends). Efficiency of the equilibrium allocation then follows along the lines of the standard proof of the first welfare theorem.

<sup>15</sup>Their result states the simple, but in our analysis very useful fact that if a sequence of monotonic real-valued functions  $f_n$  defined on the interval  $[a, b]$  with  $a < b$  converges pointwise to a continuous function  $f$  on  $[a, b]$ , then  $f$  is also monotonic and convergence is uniform.



---

sequence of strictly monotonic functions converges uniformly to  $K_0$  on the compact interval  $\overline{\mathbb{W}}$ . Combined with continuity of  $K_0$ , for any  $\delta > 0$  there exists  $n_0$  such that  $n > n_0$  implies

$$|K_{d_n}^*(w_n) - K_0(w^*)| \leq |K_{d_n}^*(w_n) - K_0(w_n)| + |K_0(w_n) - K_0(w^*)| < \delta.$$

This proves (24). Further,  $\eta$  is bounded as a continuous function on the compact set  $\overline{\mathbb{W}}$  while  $0 < m_n(w_n, \theta) < v'(K_{\bar{d}}(\underline{w})R(K_0(w_{\max}), \theta_{\min}))/u'(w_{\max})$  for each  $\theta \in \Theta$ . Thus, by the Lebesgue-dominated convergence theorem, (23) and (24) imply

$$\mathbb{E}_\nu[\eta(W(K_0(w^*), \cdot))m_0(w^*, \cdot)] \leq \eta(w^*). \quad (25)$$

But this contradicts (22) and proves the claim that  $P_0^* > 0$ . ■

The previous construction also suggests that the limiting MEA  $A_0^*$  associated with the BME  $(K_0^*, P_0^*)$  is efficient. Clearly, if  $A_0^*$  is bounded, this follows immediately from the same arguments used in Step 4. We thus have the following result.

**Proposition 1**

*If the limiting allocation  $A_0^*$  associated with the BME  $(K_0^*, P_0^*)$  constructed above is bounded, then it is efficient.*

Unfortunately, however, boundedness of  $A_0^*$  is not guaranteed even if the bubbleless equilibrium satisfies Assumption 5.

Under the hypotheses of Theorem 2, suppose the shock process is non-degenerate, i.e.,  $\theta_{\min} < \theta_{\max}$  or, equivalently,  $w_{\min} < w_{\max}$  defined by (10) and (11). Then, for any initial value  $w_0 \in \mathbb{W}$ , the dynamics (9) takes values in the ergodic set  $[w_{\min}, w_{\max}]$  after finitely many periods with positive probability. In this case, global inefficiency of  $A_0$  is equivalent to inefficiency on the ergodic set which, by Lemma 4.1 (ii) and 4.2 is equivalent to  $A_0$  being inefficient at  $w_{\min}$ . Thus, we obtain the following existence result as a corollary to Theorem 2.

**Corollary 4.1**

*Let Assumptions 1, 2, 3, and 5 hold. If  $w_{\min} < w_{\max}$  and  $A_0$  is inefficient at  $w_{\min}$ , then  $(K_0^*, P_0^*)$  is a BME of  $\mathcal{E}$ , i.e.,  $P_0^* > 0$ .*

## 4.4 Conditions for inefficiency of $A_0$

In this section we provide necessary and sufficient conditions for  $A_0$  to be inefficient as required in Theorem 1 which are simple and easy to verify. As in the previous section, we impose the stronger Assumption 5 and define  $w_{\max}$  by (10) and  $w_{\min}$  by (11).

Define the bubbleless MEA  $A_0 = (K_0, C_0^y, C_0^o)$  as before. The pricing kernel  $m_0 = m_{A_0}$  defined in (20) induces a map  $M : \mathbb{W} \rightarrow \mathbb{R}_{++}$ ,

$$M(w) := \mathbb{E}_\nu[m_0(w, \cdot)]. \quad (26)$$

---

Economically, the value  $1/M(w)$  can be interpreted as the riskless return in state  $w \in \mathbb{W}$ . Using (7) and the definition (20) of  $m_0$ ,  $M$  can equivalently be written as

$$M(w) = \frac{\mathbb{E}_\nu[v'(C_0^o(w, \cdot))]}{\mathbb{E}_\nu[R(K_0(w), \cdot)v'(C_0^o(w, \cdot))]}, \quad w \in \mathbb{W}. \quad (27)$$

The representation in (27) reveals directly that  $M$  is continuously differentiable and satisfies  $0 \leq M(w) \leq 1/R(K_0(w); \theta_{\min})$  for all  $w$ . The latter implies  $\lim_{w \searrow 0} M(w) = 0$ .

Our first result states a simple sufficient condition under which  $A_0$  is inefficient. Note that the additional restriction from Assumption 3 is not required here.

**Lemma 4.4**

*Let Assumptions 1, 2, and 5 hold and define  $M$  as in (26). If  $M(w) > 1$  for all  $w \in [w_{\min}, w_{\max}]$ , then  $A_0$  is inefficient.*

*Proof:* We construct a continuous function  $\eta : ]0, w_{\max}] \rightarrow \mathbb{R}_{++}$  which satisfies (22) for all  $w \in \mathbb{W}$ . By Lemma 4.3, this implies inefficiency of  $A_0$  on any stable set  $[\underline{w}, w_{\max}]$  which implies inefficiency on  $\mathbb{W}$ .

Defining  $W_0^E$  as in (9), note that  $W_0^E(\cdot; \theta_{\min})$  is strictly increasing and, therefore, invertible on its range. Denote the inverse by  $\Lambda$ . By continuity of  $M$ , there exists  $\delta > 0$  such that  $M(w) > 1$  for all  $w \in [w_{\min} - \delta, w_{\max}]$ . Construct a sequence  $(w_n)_{n \geq 0}$  by setting  $w_0 := w_{\min} - \delta$  and  $w_n := \Lambda(w_{n-1}) = \Lambda^n(w_0)$  for  $n \geq 1$ . Note that  $(w_n)_{n \geq 0}$  is strictly decreasing and, due to Assumption 5, converges to zero.

Now construct  $\eta$  as follows. For  $w \in [w_0, w_{\max}]$ , let  $\eta(w) \equiv 1$ . Then,

$$\mathbb{E}_\nu[\eta(W_0^E(w, \cdot))m_0(w, \cdot)] = M(w) > 1 = \eta(w)$$

for all  $w \in [w_0, w_{\max}]$ . Second, for  $w \in [w_1, w_0[$  let  $\eta(w) := M(w)/M(w_0)$ . Then,

$$\mathbb{E}_\nu[\eta(W_0^E(w, \cdot))m_0(w, \cdot)] = M(w) > M(w)/M(w_0) = \eta(w)$$

for all  $w \in [w_1, w_0[$ . Now proceed inductively for  $n \geq 1$  by defining for  $w \in [w_n, w_{n-1}[$

$$\eta(w) := \mathbb{E}_\nu[\eta(W_0^E(w, \cdot))m_0(w, \cdot)]/M(w_0).$$

By construction,  $\eta$  is a continuous function which satisfies (22). Since  $[w_0, w_{\max}] \cup (\cup_{n \geq 1} [w_n, w_{n-1}[) = ]0, w_{\max}]$ , the construction covers the entire interval  $\mathbb{W}$ . ■

A partial converse to Lemma 4.4 is the following result.

**Lemma 4.5**

*Let Assumptions 1, 2, and 5 hold. If  $A_0$  is inefficient, then  $M(w) > 1$  for at least one  $w \in [w_{\min}, w_{\max}]$ .*

---

*Proof:* By contradiction, suppose  $A_0$  is inefficient but  $M(w) \leq 1$  for all  $w \in [w_{\min}, w_{\max}]$ . By Lemma 4.1, there is an upper-semi-continuous function  $\eta : \mathbb{W} \rightarrow \mathbb{R}_{++}$  such that

$$\mathbb{E}_\nu[\eta(W_0^E(w, \cdot))m_0(w, \cdot)] > \eta(w)$$

for all  $w \in [w_{\min}, w_{\max}]$ . By Theorem 2.43 in (Aliprantis & Border 2007, p.44),  $\eta$  attains a maximum on any compact set and the set of maximizers is compact. Let  $w^* \in [w_{\min}, w_{\max}]$  be a value for which  $\eta(w^*) = \eta_{\max} := \max\{\eta(w) \mid w \in [w_{\min}, w_{\max}]\}$ . Then,

$$\mathbb{E}_\nu[\eta(W_0^E(w^*, \cdot))m_0(w^*, \cdot)] \leq \eta_{\max}\mathbb{E}_\nu[m_0(w^*, \cdot)] = \eta_{\max}M(w^*) \leq \eta_{\max} = \eta(w^*)$$

which is a contradiction. ■

The previous conditions take an even simpler form under the additional restriction from Assumption 3. In this case, monotonicity of  $m_0$  due to Lemma 4.2 implies that  $M$  is strictly increasing. Combining Lemmata 4.4 and 4.5 then yields the following result.

### Theorem 3

*Under Assumptions 1, 2, 3, and 5, the following holds:*

- (i) *If  $M(w^{\min}) > 1$ , then  $A_0$  is inefficient.*
- (ii) *If  $A_0$  is inefficient, then  $M(w^{\max}) > 1$ .*

In the deterministic case where  $w_{\min} = w_{\max}$ , the two conditions from Theorem 3 reduce to  $M(w_{\min}) > 1$  which is equivalent to a capital return  $\bar{R} < 1$  at the bubbleless steady state. This is precisely the condition in Tirole (1985) which is sufficient *and* necessary in the deterministic case. In the present stochastic case, the condition  $M > 1$  requires an 'average' capital return less than unity on the ergodic set  $[w_{\min}, w_{\max}]$ .

## 4.5 Two example economies

The following examples illustrate the construction of ME of  $\mathcal{E}$  developed in Section 3 and the previous conditions under which the ME is bubbly. The first example permits to compute all solutions explicitly and also demonstrates that the condition  $M(w_{\min}) > 1$  from Theorem 3 is not necessary for a BME to exist. The second example illustrates our main result that a BME can exist in dynamically efficient economies by constructing an economy in which the bubbleless equilibrium suffers from inefficient risk sharing.

### Example 1

Let  $f(k) = k^\alpha$ ,  $0 < \alpha < 1$ ,  $u(c) = \log(c)$ , and  $v(c) = \beta u(c)$ ,  $\beta > 0$ . This parametrization is widely studied in the literature, cf. (Michel & Wigniolle 2003) or (Demange &

Laroque 2000). (Rangazas & Russell 2005) provide a detailed discussion of the (dynamic) efficiency properties of the bubbleless equilibrium allocation in this case.

One verifies directly that Assumptions 1, 2, and 3 hold and the factor price mappings (1) take the form

$$W(k, \theta) = \theta(1 - \alpha)k^\alpha \quad (28a)$$

$$R(k, \theta) = \theta\alpha k^{\alpha-1}. \quad (28b)$$

The mapping  $K_0$  associated with the bubbleless ME of  $\mathcal{E}$  defined by (7) computes explicitly as  $K_0(w) = \frac{\beta}{1+\beta}w$  such that  $W_0^E$  defined in (9) takes the form

$$W_0^E(w, \theta) = \theta(1 - \alpha) \left( \frac{\beta}{1 + \beta} w \right)^\alpha. \quad (29)$$

Direct computations reveal that  $W_0^E(\cdot, \theta_{\max})$  has a unique non-trivial fixed point given by  $w_{\max} = [(1 - \alpha)\theta_{\max}(\beta/(1 + \beta))^\alpha]^{1/(1-\alpha)}$  which is stable. Further,  $W_0^E(\cdot, \theta_{\min})$  also has a unique fixed point  $w_{\min} = [(1 - \alpha)\theta_{\min}(\beta/(1 + \beta))^\alpha]^{1/(1-\alpha)}$  and Assumption 5 is satisfied. For later reference, let  $k_{\max} := K_0(w_{\max})$  denote the maximum capital stock and  $R_{\max} := R(k_{\max}, \theta_{\max})$  the associated capital return under the high shock. Again, these values can be obtained explicitly as  $k_{\max} = [\frac{\beta}{1+\beta}(1-\alpha)\theta_{\max}]^{1/(1-\alpha)}$  and  $R_{\max} = \frac{1+\beta}{\beta} \frac{\alpha}{1-\alpha}$ .

Applying the construction principle from Section 3.3, let  $P_0 = \text{id}_{\mathbb{W}}$  and consider the sequence  $(P_n)_{n \geq 0}$  defined as  $P_n = T(P_{n-1})$ ,  $n \geq 1$ . As  $P(w) = \delta w$  implies  $TP(w) = [R_{\max} + \delta \frac{1+\beta}{\beta}]^{-1} P(w)$  for  $w \in \mathbb{W}$ , the operator  $T$  maps linear functions onto linear functions. Thus, each  $P_n$  is linear and can be computed explicitly as

$$P_n(w) = \frac{w}{R_{\max}^n + \frac{1+\beta}{\beta} \sum_{m=0}^{n-1} R_{\max}^m}, n \geq 0.$$

For each  $w \in \mathbb{W}$ , the limit  $P_0^*$  defined in (18) is given by

$$P_0^*(w) = \begin{cases} (\frac{\beta}{1+\beta} - \frac{\alpha}{1-\alpha})w & \text{if } R_{\max} < 1 \\ 0 & \text{otherwise.} \end{cases} \quad (30)$$

Thus, in this example, the ME constructed is bubbly, if and only if  $R_{\max} < 1$  which is equivalent to  $A_0$  being Pareto inefficient. To relate this result to the condition in Theorem 3 (ii), consider the function  $M$  defined in (27) which can be computed as

$$M(w) = \mathbb{E}_\nu[(R(K_0(w), \cdot))^{-1}]. \quad (31)$$

Direct computations reveal that  $M(w_{\max}) = \frac{1}{R_{\max}} \mathbb{E}_\nu[\theta_{\max}/\text{id}_\Theta(\cdot)]$  and  $M(w_{\min}) = \frac{1}{R_{\max}} \mathbb{E}_\nu[\theta_{\min}/\text{id}_\Theta(\cdot)]$ . As  $\mathbb{E}_\nu[\theta_{\max}/\text{id}_\Theta(\cdot)] > 1$ ,  $R_{\max} < 1$  implies  $M(w_{\max}) > 1$ . On the other hand, one can easily choose a distribution  $\nu$  such that  $\mathbb{E}_\nu[\theta_{\min}/\text{id}_\Theta(\cdot)] < R_{\max} < 1$ . In this case, the fixed point (30) satisfies  $P_0^* > 0$  and  $\mathcal{E}$  has a BME but  $M(w_{\min}) < 1$ .

---

In the previous example, the bubble is a linear function of the wage and, therefore, possesses the same risk structure as capital investment since shocks are multiplicative. That is, the returns on capital and the bubble asset are perfectly correlated. In such cases, it seems intuitively clear that the bubble can not enhance risk sharing between generations and can induce a Pareto improvement only if the bubbleless equilibrium allocation is dynamically inefficient. This suspicion is correct. In fact, dynamic inefficiency and Pareto inefficiency of the bubbleless MEA  $A_0$  are equivalent in this example.<sup>16</sup>

## Example 2

The second example constructs an economy in which the bubbleless equilibrium allocation  $A_0$  suffers from inefficient risk-sharing, i.e., is dynamically efficient but Pareto inefficient. Thus, by Theorem 2, the ME constructed as above is bubbly, i.e.,  $P_0^* > 0$ .

We maintain the assumption of Cobb-Douglas production  $f(k) = k^\alpha$  from the previous example such that factor prices are again determined by (28). The utility functions  $u$  and  $v$  are chosen as  $u(c) = \frac{c^{1-\sigma}-1}{1-\sigma}$  and  $v(c) = \beta u(c)$  for some  $\beta > 0$  where  $\sigma > 0$  quantifies relative risk aversion. For  $\sigma = 1$  we recover the economy from the previous example. Under the additional restriction  $\sigma \leq 1$  needed for property (U) to hold, all Assumptions 1, 2, and 3 are satisfied. Moreover, since  $f$  satisfies the NLS property  $\lim_{k \searrow 0} \frac{f(k)}{kf'(k)} = \frac{1}{\alpha} > 1$  and  $v(c) = \beta u(c)$ , an application of Lemma 3.2 shows that Assumption 5 is also satisfied. Hence, the values  $w_{\max}$  and  $w_{\min}$  from (10) and (11) are well-defined. As before, denote the associated capital stocks as  $k_{\max} := K_0(w_{\max})$  and  $k_{\min} := K_0(w_{\min})$  with  $K_0$  defined implicitly by (7).

As in the previous example, the wage dynamics (9) or, equivalently, the capital dynamics (8) possess a unique non-trivial fixed point  $\bar{k}_\theta > 0$  for any fixed  $\theta \in \Theta$  which is globally asymptotically stable. To see this, note that any fixed point of the capital dynamics (8) solves  $\bar{k} = K_0^E(\bar{k}, \theta)$  which is equivalent to  $G(\bar{k}, W(\bar{k}, \theta)) = 0$  with  $G$  defined as in (7). Using (28a) and the particular form of the utility functions, the latter condition can equivalently be written as

$$\tilde{G}(\bar{k}) := \bar{k}^{1-\alpha}(\theta(1-\alpha) - \bar{k}^{1-\alpha})^{-\sigma} - \beta\alpha^{1-\sigma}\mathbb{E}_\nu[\text{id}_\Theta(\cdot)^{1-\sigma}] = 0.$$

Since  $\tilde{G}$  is a strictly increasing function, this proves uniqueness of the fixed points. Thus, both mappings  $K_0^E(\cdot, \theta)$  and  $W_0^E(\cdot, \theta)$  possess unique fixed points  $\bar{k}_\theta$  and  $\bar{w}_\theta := W(\bar{k}_\theta, \theta)$

---

<sup>16</sup>To see this formally, let  $q_t := \prod_{s=1}^t r_s$  for each  $t \geq 0$ . Using the particular form of factor prices (28) and that  $k_{t+1} = \frac{\beta}{1+\beta}w_t$  for each  $t \geq 0$ , one verifies by induction that  $q_t = R_{\max}^t w_t/w_0$ . Now suppose  $R_{\max} \geq 1$ . Then,  $\sum_{t=0}^\infty q_t = \infty$  for any shock path  $(\theta_t)_{t \geq 0}$  which, by Proposition 4 (a) in Barbie et al.(2007) implies Pareto efficiency. Conversely, suppose  $R_{\max} < 1$ . Since shocks and wages are uniformly bounded above and away from zero, one obtains  $\sum_{t=0}^\infty q_t < \infty$  for any shock path which implies dynamic inefficiency as shown in (Zilcha 1990). Using the same parametrization, the last result is also derived in (Rangazas & Russell 2005) who do not, however, consider Pareto (in-) efficiency.

---

for each  $\theta \in \Theta$  which are globally stable on  $\mathbb{K}$  respectively  $\mathbb{W}$ . This implies that under a constant shock path  $\theta_t \equiv \theta$ , the equilibrium sequences of capital and wages defined by (8) and (9) converge to  $\bar{k}_\theta$  and  $\bar{w}_\theta$  for any initial values  $k_0 \in \mathbb{K}$  and  $w_0 \in \mathbb{W}$ .

Equipped with these preparations, we now choose a particular set of parameter values such that the bubbleless ME is dynamically efficient but Pareto inefficient, i.e., suffers from inefficient risk sharing. The specification is as follows. There are two shocks  $\Theta = \{\theta_{\min}, \theta_{\max}\}$  with associated probabilities  $\nu_{\min} := \nu(\{\theta_{\min}\})$  and  $\nu_{\max} := \nu(\{\theta_{\max}\})$ . Specifically, we choose the following parameter values:

$$\theta_{\min} = \frac{3}{2}, \theta_{\max} = \frac{9}{5}, \nu_{\min} = \frac{9}{10}, \nu_{\max} = \frac{1}{10}, \alpha = \frac{3}{10}. \quad (32)$$

Thus, there is a low probability for the favorable shock to occur. The value adopted for the production elasticity  $\alpha$  is consistent with most empirical applications.

We now specify target values for the fixed points  $k_{\min} := \bar{k}_{\theta_{\min}}$  and  $k_{\max} := \bar{k}_{\theta_{\max}}$  of the capital dynamics under the low and high shock, respectively. Using (28a) and the young consumer's budget constraint, we then infer the associated values for wages  $w_{\min} = W(k_{\min}, \theta_{\min})$ ,  $w_{\max} = W(k_{\max}, \theta_{\max})$  and first-period consumption  $c_{\min} := w_{\min} - k_{\min}$  and  $c_{\max} := w_{\max} - k_{\max}$  at the respective fixed points. The values we use are

$$\begin{aligned} k_{\min} &= 1/3, & w_{\min} &\approx 0.7552, & c_{\min} &\approx 0.4219 \\ k_{\max} &= 2/5, & w_{\max} &\approx 0.9572, & c_{\max} &\approx 0.5572. \end{aligned} \quad (33)$$

We now determine the parameter values  $\sigma$  and  $\beta$  such that the target value  $k_{\min}$  is indeed a fixed point of the capital dynamics (8) under the low shock and  $k_{\max}$  a fixed point of (8) under the high shock, i.e.,  $k_{\min} = K_0^E(k_{\min}, \theta_{\min})$  and  $k_{\max} = K_0^E(k_{\max}, \theta_{\max})$ . Defining the map  $G$  as in (7), these conditions are equivalent to  $G(k_{\min}, w_{\min}) = 0 = G(k_{\max}, w_{\max})$  which, under the present parametrization, take the form

$$c_{\min}^{-\sigma} k_{\min}^{1-\alpha(1-\sigma)} = \alpha^{1-\sigma} \beta \mathbb{E}_\nu[\text{id}_\Theta(\cdot)^{1-\sigma}] = c_{\max}^{-\sigma} k_{\max}^{1-\alpha(1-\sigma)}. \quad (34)$$

Given the parameter values from (32) and the target values from (33), conditions (34) can uniquely be solved to obtain

$$\sigma^* = \frac{(1-\alpha) \log(k_{\max}/k_{\min})}{\log(c_{\max}/c_{\min}) - \alpha \log(k_{\max}/k_{\min})} \approx 0.5710 \quad (35a)$$

$$\beta^* = \frac{c_{\min}^{-\sigma^*} k_{\min}^{1-\alpha(1-\sigma^*)}}{\alpha^{1-\sigma^*} \mathbb{E}_\nu[\text{id}_\Theta(\cdot)^{1-\sigma^*}]} \approx 0.8782. \quad (35b)$$

Thus, for the parameter choices defined in (32) and (35), the values  $k_{\min}$  and  $k_{\max}$  are fixed points of the capital dynamics (8) while  $w_{\min}$  and  $w_{\max}$  are fixed points of the wage dynamics (9). Moreover, since all these fixed points are unique,  $[k_{\min}, k_{\max}]$  and  $[w_{\min}, w_{\max}]$  are the unique minimal stable sets of the capital and wage dynamics.

---

We now claim that the MEA  $A_0$  is dynamically efficient, i.e., for any  $w_0 \in \mathbb{W}$ , the allocation  $a_0^E(w_0)$  is dynamically efficient. To see this, we can apply the generalized Cass criterion developed in (Zilcha 1990) (see also (Rangazas & Russell 2005) and (Barbie & Kaul 2009)). According to this criterion, a sufficient condition for dynamic efficiency is  $R(k, \theta_{\max}) > 1$  for all  $k \in ]0, k_{\max}]$  or, equivalently,  $R(k_{\max}, \theta_{\max}) > 1$ . This may be viewed as a generalization of the well-known deterministic result requiring a steady state return  $\bar{R} > 1$ . Using the values from (32) and (33) in (28b) gives

$$R(k_{\max}, \theta_{\max}) = \theta_{\max} \alpha k_{\max}^{\alpha-1} = \frac{9}{5} \frac{3}{10} \left(\frac{2}{5}\right)^{-\frac{7}{10}} \approx 1.02554 > 1. \quad (36)$$

The intuition why (36) implies dynamic efficiency is as follows. Dynamic inefficiency would require aggregate consumption to increase under any possible realization of shocks which is possible only if the capital return is (asymptotically) less than unity. Thus, it suffices to find a particular path for which this is not possible to prove dynamic efficiency. In the present case, consider the constant shock path where  $\theta_t = \theta_{\max}$  for all  $t \geq 0$ . In this case, the induced equilibrium sequence of capital converges to the maximum fixed point  $k_{\max}$  which has a capital return  $R(k_{\max}, \theta_{\max}) > 1$ . Thus, an initial reduction in capital formation in fact reduces aggregate consumption along any path where the shock  $\theta_{\max}$  occurs 'sufficiently often'. Intuitively, capital productivity in the good state is always high enough such that aggregate consumption can not be increased in each period and under any shock path. Hence, one can not Pareto-improve the bubbleless equilibrium allocation by simply crowding-out capital investment.

We also claim that  $A_0$  is Pareto-inefficient, i.e.,  $a_0^E(w_0)$  is inefficient for all  $w_0 \in \mathbb{W}$ . Invoking Theorem 3, it suffices to show that  $M(w_{\min}) > 1$  with  $M$  defined as in (27). Under the present specification of  $v$  and  $f$ , this function takes the form

$$M(w) = \frac{K_0(w)^{1-\alpha} \mathbb{E}_\nu[\text{id}_\Theta(\cdot)^{-\sigma}]}{\alpha \mathbb{E}_\nu[\text{id}_\Theta(\cdot)^{1-\sigma}]} \quad (37)$$

Using  $K_0(w_{\min}) = k_{\min} = \frac{1}{3}$  together with the parameter values from (32) and (35) gives

$$\begin{aligned} M(w_{\min}) &= \frac{k_{\min}^{1-\alpha} \nu_{\min} \theta_{\min}^{-\sigma} + \nu_{\max} \theta_{\max}^{-\sigma}}{\alpha \nu_{\min} \theta_{\min}^{1-\sigma} + \nu_{\max} \theta_{\max}^{1-\sigma}} \\ &= \frac{10 \cdot 3^{-0.7} 9(1.5)^{-0.571} + (1.8)^{-0.571}}{3 \cdot 9(1.5)^{1-0.571} + (1.8)^{1-0.571}} \approx 1.012 > 1. \end{aligned}$$

Thus, even though  $A_0$  does not suffer from capital overaccumulation, a BME exists and can be constructed by following the principle devised above. Unlike the solution from Example 1, however, this solution can not be obtained in closed form. However, one can show that operator  $T$  now maps linear function to non-linear functions which implies that the fixed point  $P_0^*$  will be a non-linear function of the wage and, therefore, of the shock  $\theta$ . Thus, a potential Pareto improvement can occur by improving the way in which

---

production risk is shared via young and old generations through trading of the bubble. Note that if this is the case, aggregate consumption will at least among some shock paths be lower due to the crowding out effect of bubbles and the dynamic efficiency of the bubbleless equilibrium. However, if the BME constitutes a Pareto improvement, this effect is overcompensated by the improvement in risk sharing.

To further understand the nature of inefficient risk sharing and how a bubbly asset with an appropriate risk structure can potentially lead to a Pareto improvement, it is instructive to study how feasible transfers with different risk structures affect the utility of different generations in this example. Consider first a transfer payment from young to old consumers which has exactly the same risk structure as capital investment, i.e., is perfectly correlated with the shock  $\theta_t$ . To ensure feasibility of the scheme in each state  $w \in \mathbb{W}$ , suppose the transfer is a constant fraction  $\tau \geq 0$  of the wage chosen sufficiently small. Since shocks in (1) are multiplicative, transfers and capital returns are perfectly correlated and the utility of a young consumer with wage  $w$  depending on  $\tau$  is

$$U(w; \tau) = u(w - K_0(w) - \tau w) + \mathbb{E}_\nu[v(\tau W(K_0(w), \cdot) + K_0(w)R(K_0(w), \cdot))]. \quad (38)$$

To evaluate the potential welfare effects of introducing this transfer scheme, consider the derivative  $\partial_\tau U(w; \tau)$  evaluated at  $\tau = 0$ . Using the Euler equation (7) and exploiting that shocks are multiplicative gives

$$\partial_\tau U(w; 0) = V(w)w/\theta_{\max}\mathbb{E}_\nu[\text{id}_\Theta(\cdot)v'(K_0(w)R(K_0(w), \cdot))] \quad (39)$$

where  $V(w) := W(K_0(w), \theta_{\max})/w - R(K_0(w), \theta_{\max})$  determines the sign of the derivative. Since  $K_0(w_{\max}) = k_{\max}$ ,  $W(k_{\max}, \theta_{\max}) = w_{\max}$  and  $R(k_{\max}, \theta_{\max}) > 1$ , it follows directly that  $V(w) < 0$  for  $w$  sufficiently close to  $w_{\max}$ . But this implies that the previous transfer scheme does not lead to a Pareto improvement: Under the constant path  $\theta_t \equiv \theta_{\max}$ , the economy converges to  $w_{\max}$  for any initial condition and any generation with income  $w$  close to  $w_{\max}$  will be worse-off. Note that the negative effect arises from  $R(k_{\max}, \theta_{\max}) > 1$  which is exactly what makes this economy dynamically efficient. The intuition is therefore that transfers which are perfectly correlated with capital returns can not improve risk sharing and, therefore, do not lead to a Pareto improvement.

As a second case, consider a transfer scheme which is not perfectly correlated with the capital return. Specifically, suppose that transfers from young to old consumers are state- and time-independent and given by some constant  $\bar{\tau} \geq 0$  chosen sufficiently small. As a consequence, capital returns and transfers are uncorrelated and the utility of a consumer born with wage  $w$  depending on  $\bar{\tau}$  is

$$\bar{U}(w; \bar{\tau}) = u(w - K_0(w) - \bar{\tau}) + \mathbb{E}_\nu[v(\bar{\tau} + K_0(w)R(K_0(w), \cdot))]. \quad (40)$$

Exploiting again the Euler equation (7), the marginal change in utility is

$$\partial_{\bar{\tau}} \bar{U}(w; 0) = u'(w - K_0(w))(M(w) - 1) \quad (41)$$



---

where the function  $M$  is defined as in (27) and given by (37). Recall that  $M(w_{\min}) > 1$  in this example which implies  $M(w) > 1$  for all  $w \geq w_{\min}$  and that the state dynamics (9) converge to the set  $[w_{\min}, w_{\max}]$  under any realization of shocks. Thus, the previous transfer scheme can induce a Pareto improvement when introduced once the wage exceeds the critical level  $w_{\text{crit}}$  at which  $M(w_{\text{crit}}) = 1$ . The intuition is that transfers redistribute incomes from young to old across different states in a clever way which increases utility even if capital formation remains unchanged and an increase in aggregate consumption is not possible. It is precisely this effect we call an 'improvement in risk sharing'. The function  $\eta$  in Lemmata 3.1-3.3 formalizes the idea that finding transfers with the right risk structure characterizes a Pareto improvement in our economy.

## 4.6 Dynamics along a BME

Suppose the ME  $(K_0^*, P_0^*)$  of  $\mathcal{E}$  constructed in Theorem 1 is bubbly, i.e.,  $P_0^* > 0$ . We seek to deduce several qualitative properties of the equilibrium dynamics along a BME.

Given the initial state  $x_0 = (k_0, \theta_0) \in \mathbb{X}$ , all equilibrium variables can be expressed as continuous functions of the equilibrium wage process  $\{w_t\}_{t \geq 0}$  which evolves as

$$w_{t+1} = W^E(w_t, \theta_{t+1}) := W(K_0^*(w_t), \theta_{t+1}). \quad (42)$$

It will again be convenient to study (42) rather than the mathematically equivalent capital dynamics generated by  $K^E = K_0^* \circ W$ .

As  $P_0^* > 0$  implies  $K_0^* < K_0$ , a first observation is that  $W^E < W_0^E$  where the latter is defined in (9). Thus, the sequence generated by (42) is bounded by the wage process (9) along the bubbleless equilibrium under any path of the shock process  $\{\theta_t\}_{t \geq 0}$ .

A second observation that follows from the Euler equations (3a,b) is that in each period the return on the bubbly asset must (weakly) exceed the capital return (1b) in at least one future state. Thus, for each  $w \in \mathbb{W}$  there exists some  $\theta' \in \Theta$  such that

$$\frac{P_0^*(W^E(w, \theta'))}{P_0^*(w)} \geq R(K_0^*(w), \theta'). \quad (43)$$

As  $\lim_{w \rightarrow 0} R(K_0^*(w), \theta') = \infty$  for all  $\theta' \in \Theta$  and the left side in (43) is increasing in the shock, there exists a lower bound  $\underline{w}' > 0$  such that  $R(K_0^*(w), \theta_{\min}) > 1$  and  $P_0^*(W^E(w, \theta_{\max})) > P_0^*(w)$  for all  $w \leq \underline{w}'$ . Thus, by monotonicity of  $P_0^*$

$$W^E(w, \theta_{\max}) > w \quad (44)$$

for all  $w \leq \underline{w}'$ . As  $W^E(w_{\max}, \theta_{\max}) < W_0^E(w_{\max}, \theta_{\max}) = w_{\max}$ , (44) also shows that  $W^E(\cdot, \theta_{\max})$  has at least one stable fixed point which lies in the interval  $]\underline{w}', w_{\max}[$ . In fact, since  $\theta_{\max}$  belongs to the support of  $\nu$ , (44) and continuity of  $W^E$  imply that for each  $w \leq \underline{w}'$  there exists a measurable set  $\Theta_w \subset \Theta$  of positive measure  $\nu(\Theta_w) > 0$  such

---

that  $W^E(w, \theta) > w$  holds for all  $\theta \in \Theta_w$ . Thus, defining  $\underline{p}^* := P_0^*(\underline{w}')$ , one observes that the bubbly asset price process  $\{p_t\}_{t \geq 0}$  along the BME is persistent in the sense that whenever  $p_t < \underline{p}^*$  there is a positive probability that  $p_{t+n} > \underline{p}^*$  for some finite  $n \geq 1$ .

An open question is whether this last result can be strengthened in the sense that  $p_t < \underline{p}^*$  implies  $p_{t+n} > \underline{p}^*$  for some finite  $n \geq 1$  with probability one. Essentially, this holds when the wage dynamics (42) admits a uniform lower bound  $\underline{w}' > 0$  such that  $W^E(w, \theta) > w$  for all  $\theta \in \Theta$  whenever  $w \leq \underline{w}'$ . Example 1 from Section 4.5 satisfies this condition. If such a lower bound exists, the bubble price processes and in fact all equilibrium variables remain bounded away from zero with probability one. Clearly, Assumption 5 is a necessary precondition for this to hold, but is it sufficient? This question becomes particularly relevant for studying the existence of stationary distributions associated with the state process defined by (42) which we leave for future research.

## 4.7 Stochastically bursting bubbles

By construction, the bubble along a BME never bursts. Asset bubbles which have a constant probability of bursting in each period were first studied in (Weil 1987) using an otherwise deterministic framework similar to (Tirole 1985). It is now straightforward to modify the previous setting along these lines to study ME with bursting bubbles in our setup as well.

Setting  $d = 0$ , suppose that in each period  $t$ , there is a constant exogenous probability for the bubble to burst in the following period. Thus, the future selling price of the bubbly asset in period  $t$  is  $p_{t+1}$  with some probability  $q$  and zero otherwise. Under this modification, the equilibrium mappings (14a) and (14b) now take the following form (with  $q$  replacing the dividend parameter  $d = 0$ )

$$H^1(k, p; w, P, q) = u'(w - p - k) - q\mathbb{E}_\nu [R(k, \cdot)v'(P(W(k, \cdot)) + kR(k, \cdot))] - (1 - q)\mathbb{E}_\nu [R(k, \cdot)v'(kR(k, \cdot))] \quad (45a)$$

$$H^2(k, p; w, P, q) = u'(w - p - k)p - q\mathbb{E}_\nu [(P(W(k, \cdot)))v'(P(W(k, \cdot)) + kR(k, \cdot))]. \quad (45b)$$

The case studied in the previous sections is recovered by setting  $q = 1$ .

It seems now straightforward to repeat the entire analysis of Section 3 based on (45a) and (45b) rather than (14a) and (14b) and construct such modified Markov equilibria for  $q < 1$  as fixed points of some operator  $T_q : \mathcal{G} \rightarrow \mathcal{G}$  defined by (45a) and (45b) in the exact same fashion as before. As establishing the rather technical Lemmata 2.1 - 2.4 for the case  $q < 1$  seems quite tedious, we choose not to work through this case here.

We will, however, show that our existence result derived above for  $q = 1$  does not necessarily imply the existence of a BME for any  $q < 1$ . To show this, we focus on the

---

first example discussed in Section 4.5 where  $f(k) = k^\alpha$ ,  $0 < \alpha < 1$ ,  $u(c) = \log(c)$ , and  $v(c) = \beta u(c)$ ,  $\beta > 0$ . Clearly, the bubbleless equilibrium is exactly the same as before and is inefficient if and only if  $R_{\max} = \frac{1+\beta}{\beta} \frac{\alpha}{1-\alpha} < 1$ .

Applying the construction principle from Section 3.3 for  $T_q$ , set  $P_0 = \text{id}_{\mathbb{W}}$  and consider the sequence  $(P_n)_{n \geq 0}$  defined as  $P_n = T_q(P_{n-1})$ ,  $n \geq 1$ . In this example, the operator  $T_q$  again maps linear functions onto linear functions and can be derived explicitly. One verifies that  $P(w) = \delta w$ ,  $\delta \geq 0$  implies  $T_q P(w) = [R_{\max}/q + \delta \frac{1+\beta}{\beta q}]^{-1} P(w)$  for  $w \in \mathbb{W}$ . Thus, each  $P_n$  is linear and can be computed explicitly as

$$P_n(w) = \frac{w}{(R_{\max}/q)^n + \frac{1+\beta}{\beta q} \sum_{m=0}^{n-1} (R_{\max}/q)^m}, n \geq 0.$$

For each  $w \in \mathbb{W}$ , the pointwise limit  $P_0^*(w) := \lim_{n \rightarrow \infty} P_n(w)$  is given by

$$P_0^*(w) = \begin{cases} (\frac{\beta}{1+\beta} q - \frac{\alpha}{1-\alpha}) w & \text{if } R_{\max} < q \\ 0 & \text{otherwise.} \end{cases} \quad (46)$$

Thus, in this example a BME with  $q < 1$  exists if and only if  $R_{\max} < q$ . While this restriction also requires inefficiency of the bubbleless equilibrium, the probability of bursting  $1 - q$  must, in addition, be sufficiently small. Essentially the same result is obtained in (Weil 1987) for a deterministic economy. We conjecture that a similar conclusion also holds in the general case and that only stochastic bubbles which enjoy a sufficiently high level of confidence can occur in Pareto inefficient economies.

## 5 Conclusions

This paper developed a general approach to construct potentially bubbly Markov equilibria for a general class of frictionless OLG economies with stochastic production. Our main result shows that a BME exists whenever the bubbleless equilibrium is inefficient. This type of inefficiency can be the result of an *overaccumulation of capital* but also due to *inefficient risk sharing* between consumers. The deterministic result of (Tirole 1985) therefore constitutes a special case of our existence theorem. Our existence result also completes the characterization of the equilibrium set for the class of economies studied in (Wang 1993) and related papers by providing conditions under which additional bubbly equilibria exist in these models.

To focus on this existence result and keep the technical part bearable, we deliberately limited the underlying class of economies to a setup with i.i.d. TFP shocks and additive consumer utility. We believe that these restrictions are inessential and easy to dispense with at a cost of a more complex structure and notation. Potential extensions of the previous framework include non-additive utility, non-multiplicative and correlated production shocks, and non-classical production technologies. Models with these features

---

were employed, e.g., in (Wang 1994), (Morand & Reffett 2007), (McGovern, Morand & Reffett 2013), or (Hillebrand 2014) to study the existence and properties of bubbleless ME. Since all these papers rely on methods similar to those employed in this paper, we believe that the previous construction of a BME should be amendable to these extensions. This constitutes a first major objective of future research.

In addition, several issues remain to be studied even within the framework of this paper. For instance, an open question is if the bubbly equilibrium is always efficient and, related to that, whether it constitutes a Pareto improvement relative to the bubbleless equilibrium. The characterization of Pareto optimality developed in Section 4 should be key to answer these questions. Another avenue of future research is whether the state dynamics along the BME converge to a stationary distribution on the endogenous state space. Since our equilibrium mappings are all monotonic, we view the recent results of (Kamihigashi & Stachurski 2014) as tailor-made for studying the existence, uniqueness, and stability of stationary distributions along a BME.

## A Mathematical Appendix

### A.1 Proof of Lemma 2.1

For convenience, define the numerator in (b) as  $D(k) := \mathbb{E}_\nu[R(k, \cdot)v'(kR(k, \cdot))]$  which, as shown in the proof of Lemma 3.1 below is strictly decreasing under property (U) from Assumption 2. Conditions (a) and (b) permit to choose a lower bound  $\underline{k} > 0$  such that  $W(k, \theta_{\min}) > k$  and  $H(k) := u'(W(k, \theta_{\min}) - k) - D(k) < 0$  for all  $0 < k \leq \underline{k}$ . Now define  $\underline{w} := W(\underline{k}, \theta_{\min})$  and choose an arbitrary value  $\hat{w} \in ]0, \underline{w}]$ . By monotonicity of  $W$ , there exists a unique  $\hat{k} \in ]0, \underline{k}]$  such that  $W(\hat{k}, \theta_{\min}) = \hat{w}$ . Then,  $H(\hat{k}) < 0$  and the properties of  $D$  and  $u'$  permit to choose a unique  $\hat{k}_1$  such that  $\hat{k} < \hat{k}_1 < \hat{w}$  and  $u'(\hat{w} - \hat{k}_1) = D(\hat{k}_1)$  which is equivalent to  $\hat{k}_1 = K_0(\hat{w})$  defined by (7). Then, by monotonicity of  $W(\cdot, \theta_{\min})$ ,

$$\hat{w} = W(\hat{k}, \theta_{\min}) < W(\hat{k}_1, \theta_{\min}) = W(K_0(\hat{w}), \theta_{\min}) = W_0^E(\hat{w}, \theta_{\min}).$$

Since  $\hat{w} \in ]0, \underline{w}]$  was arbitrary, this proves Assumption 5. ■

### A.2 Proof of Lemma 2.2

By (1),  $\frac{f(k)}{kf'(k)} = \frac{W(k, \theta_{\min})}{kR(k, \theta_{\min})} + 1$ . Thus, NLS implies  $\liminf_{k \searrow 0} \frac{W(k, \theta_{\min})}{kR(k, \theta_{\min})} > 0$ . Using this and the boundary behavior of  $R$ , we can choose values  $\bar{B} > 1 > \bar{b} > 0$  and a lower bound  $\underline{k}_1 > 0$  such that  $R(k, \theta_{\min}) > \frac{\bar{B}}{\bar{b}}$  and  $W(k, \theta_{\min}) > \bar{b}R(k, \theta_{\min})k > \bar{B}k$  for all  $0 < k \leq \underline{k}_1$ . Clearly, this implies  $\liminf_{k \searrow 0} \frac{W(k, \theta_{\min})}{k} > \bar{B}$  and condition (a).

To establish (b), suppose first that  $u = \beta^{-1}v$ . Note that  $\liminf_{k \searrow 0} \frac{W(k, \theta_{\min})}{kR(k, \theta_{\min})} > 0$  and

---

$\lim_{k \searrow 0} \frac{k}{kR(k, \theta_{\min})} = 0$  imply  $\liminf_{k \searrow 0} \frac{W(k, \theta_{\min}) - k}{kR(k, \theta_{\min})} > 0$ . Thus, there exists  $0 < \underline{k}_2 \leq \underline{k}_1$  and  $\bar{b}_1 > 0$  such that for all  $0 < k \leq \underline{k}_2$  we have

$$W(k, \theta_{\min}) - k \geq \bar{b}_1 k R(k, \theta_{\min}). \quad (\text{A.1})$$

Suppose  $\bar{b}_1 \geq 1$ . Then,  $u'(W(k, \theta_{\min}) - k) \leq u'(kR(k, \theta_{\min}))$  for all  $0 < k \leq \underline{k}_2$  yields

$$\liminf_{k \searrow 0} \frac{v'(kR(k, \theta_{\min}))}{u'(W(k, \theta_{\min}) - k)} \geq \frac{1}{\beta} > 0.$$

Second, suppose  $\bar{b}_1 < 1$ . From Assumption 2 (which holds for  $u = \beta^{-1}v$ ), we infer that

$$\bar{b}_1 u'(W(k, \theta_{\min}) - k) \leq u'(\bar{b}_1^{-1}(W(k, \theta_{\min}) - k)) \quad (\text{A.2})$$

for all  $0 < k \leq \underline{k}_2$ . To see this, define for fixed  $c > 0$  the map  $H(a) := av'(ac)$ . Then,  $H(1) = v'(c)$  and  $H'(a) = v'(ac) + acv''(ac) \geq 0$ . Thus,  $H$  is non-decreasing and  $H(a) \geq H(1)$  for all  $a > 1$ . Setting  $c = W(k, \theta_{\min}) - k$  and  $a = \bar{b}_1^{-1} > 1$ , this proves (A.2) which, combined with (A.1) gives

$$\bar{b}_1 u'(W(k, \theta_{\min}) - k) \leq u'(\bar{b}_1^{-1}(W(k, \theta_{\min}) - k)) \leq u'(kR(k, \theta_{\min})) \quad (\text{A.3})$$

for all  $0 < k \leq \underline{k}_2$  which implies

$$\liminf_{k \searrow 0} \frac{v'(kR(k, \theta_{\min}))}{u'(W(k, \theta_{\min}) - k)} \geq \frac{\bar{b}_1}{\beta} > 0.$$

Finally, let  $f(0) > 0$ . Then, NLS implies  $\lim_{k \searrow 0} W(k, \theta_{\min}) = \theta_{\min} f(k) (1 - \frac{kf'(k)}{f(k)}) > 0$  and, therefore,  $\lim_{k \searrow 0} u'(W(k, \theta_{\min}) - k) > 0$  in (12). As the numerator diverges, this implies (b).  $\blacksquare$

### A.3 Proof of Lemma 3.1

Let  $P \in \mathcal{G}$  be given and  $w \in \mathbb{W}$  be arbitrary but fixed. For each  $k \in \mathbb{K} = ]0, k_{\max}]$  and  $\theta \in \Theta$ , set  $c(k, \theta) := P(W(k, \theta)) + kR(k, \theta)$ . Define the functions

$$V(k) := \frac{\mathbb{E}_\nu [P(W(k, \cdot))v'(c(k, \cdot))]}{\mathbb{E}_\nu [R(k, \cdot)v'(c(k, \cdot))]} =: \frac{N(k)}{D(k)}, \quad k \in \mathbb{K} \quad (\text{A.4})$$

and

$$S(k) := k + V(k) = \frac{\mathbb{E}_\nu [c(k, \cdot)v'(c(k, \cdot))]}{\mathbb{E}_\nu [R(k, \cdot)v'(c(k, \cdot))]} =: \frac{M(k)}{D(k)}, \quad k \in \mathbb{K}. \quad (\text{A.5})$$

Since  $P$  is continuous, so are the mappings  $V$ ,  $N$ ,  $D$ ,  $L$ , and  $S$ . The first part of the proof establishes certain monotonicity properties and the boundary behavior of the previously defined functions. First, we will show that  $D$  is strictly decreasing and  $S$  is strictly increasing. Fixing an arbitrary interior point  $k \in \mathbb{K}$ , it suffices to show

---

$D(k + \Delta) < D(k)$  and  $S(k + \Delta) > S(k)$  for any  $0 < \Delta \leq k_{\max} - k$ . Since  $P$  and  $W$  are weakly increasing and  $v'$  strictly decreasing,

$$D(k + \Delta) \leq \tilde{D}(\Delta) := \mathbb{E}_\nu [R(k + \Delta, \cdot) v'(\tilde{c}(\Delta, \cdot))] \quad (\text{A.6})$$

where  $\tilde{c}(\Delta, \theta) := P(W(k, \theta)) + (k + \Delta)R(k + \Delta, \theta)$ . Likewise, property (U) from Assumption 2 implies that the map  $a \mapsto (a + b)v'(a + b)$ ,  $a > 0$  is weakly increasing for any  $b \geq 0$ . Therefore,

$$M(k + \Delta) \geq \tilde{M}(\Delta) := \mathbb{E}_\nu [\tilde{c}(\Delta, \cdot) v'(\tilde{c}(\Delta, \cdot))]. \quad (\text{A.7})$$

This and (A.6) combined shows that

$$S(k + \Delta) \geq \tilde{S}(\Delta) := \frac{\tilde{M}(\Delta)}{\tilde{D}(\Delta)}. \quad (\text{A.8})$$

Since  $\tilde{D}(0) = D(k)$  and  $\tilde{S}(0) = S(k)$ , it suffices to establish monotonicity of  $\tilde{D}$  and  $\tilde{S}$ . The major advantage is that, unlike  $L$ ,  $D$ , and  $S$ , the maps  $\tilde{L}$ ,  $\tilde{D}$ , and  $\tilde{S}$  are all differentiable. Dropping arguments when convenient, the derivative of  $\tilde{D}$  computes

$$\begin{aligned} \tilde{D}'(\Delta) &= -\frac{E_{f'}(k + \Delta)}{k + \Delta} \mathbb{E}_\nu \left[ R(k + \Delta, \cdot) (v'(\cdot) - (k + \Delta)R(k + \Delta, \cdot) |v''(\cdot)|) \right] \\ &\quad - \mathbb{E}_\nu [R(k + \Delta, \cdot)^2 |v''(\cdot)|] \end{aligned} \quad (\text{A.9})$$

where we have used that  $\partial_\Delta \tilde{c}(\Delta, \theta) = R(k + \Delta, \theta)(1 - E_{f'}(k + \Delta))$ . Property (U) from Assumption (2) implies that the expectation in the first term is non-negative and, therefore,  $\tilde{D}'(\Delta) < 0$  and monotonicity of  $D$ . By (A.8), the sign of  $\tilde{S}'$  is determined by  $H(\Delta) := (k + \Delta)(\tilde{M}'(\Delta)\tilde{D}(\Delta) - \tilde{M}(\Delta)\tilde{D}'(\Delta))$ . Noting that  $\tilde{M}(\Delta) \geq (k + \Delta)\tilde{D}(\Delta)$  and using  $\tilde{D}'(\Delta) < 0$ , it suffices to show that  $\tilde{M}'(\Delta) > (k + \Delta)\tilde{D}'(\Delta)$ . The derivative of  $\tilde{M}$  computes as

$$\tilde{M}'(\Delta) = (1 - E_{f'}(k + \Delta)) \mathbb{E}_\nu \left[ R(k + \Delta, \cdot) (v'(\cdot) - \tilde{c}(\Delta, \cdot) |v''(\cdot)|) \right] \quad (\text{A.10})$$

For brevity, define

$$\begin{aligned} A_1(\Delta) &:= \mathbb{E}_\nu \left[ R(k + \Delta, \cdot) (v'(\cdot) - \tilde{c}(\Delta, \cdot) |v''(\cdot)|) \right] \\ A_2(\Delta) &:= \mathbb{E}_\nu \left[ R(k + \Delta, \cdot) (v'(\cdot) - (k + \Delta)R(k + \Delta, \cdot) |v''(\cdot)|) \right]. \end{aligned}$$

Note that property (U) from Assumption 2 implies  $0 \leq A_1(\Delta) \leq A_2(\Delta)$ . Further, note from (A.9) that  $-(k + \Delta)\tilde{D}'(\Delta) > E_{f'}(k + \Delta)A_2(\Delta)$ . Using this property and (A.10) gives the desired result

$$\tilde{M}'(\Delta) - (k + \Delta)\tilde{D}'(\Delta) > A_1(\Delta) + E_{f'}(k + \Delta)(A_2(\Delta) - A_1(\Delta)) > 0.$$

---

Since  $\Theta$  is compact and  $k \leq k_{\max}$ , consumption  $c(k, \theta)$  is uniformly bounded from above (e.g., by  $c_{\max} := P(w_{\max}) + \theta_{\max} f(k_{\max})$ ) and so is  $M$  defined in (A.5) (e.g., by  $c_{\max} v'(c_{\max})$ ). The boundary conditions from Assumptions 1 and 2 then imply

$$\lim_{k \searrow 0} D(k) = \infty. \quad (\text{A.11})$$

and

$$0 \leq \lim_{k \searrow 0} V(k) \leq \lim_{k \searrow 0} S(k) = \lim_{k \searrow 0} \frac{M(k)}{D(k)} = 0. \quad (\text{A.12})$$

Having established the properties necessary for the proof, define

$$G(k; w) := u'(w - S(k)) - D(k). \quad (\text{A.13})$$

Then, the desired solution  $\tilde{k}$  solves  $G(\tilde{k}; w) = 0$ . Observe that  $G(\cdot; w)$  is a strictly increasing function which follows from the monotonicity of  $S$  and  $D$  and  $u'$ . Thus, any zero is necessarily unique. Also observe the boundary behavior  $\lim_{k \searrow 0} G(k; w) = -\infty$  due to (A.11). By continuity, it suffices to find a  $k < w$  such that  $G(k; w) \geq 0$ . Suppose  $P \equiv 0$ . Then the solution is  $\tilde{k} = k_0 := K_0(w)$  defined by (7) and  $\tilde{p} = 0$ . If  $P \neq 0$ , consider the following two cases. First,  $S(k_0) \geq w$ . Then, by (A.12) and monotonicity and continuity of  $S$ , there exists a unique value  $0 < \hat{k} \leq k_0$  such that  $S(\hat{k}) = w$  which implies  $\lim_{k \nearrow \hat{k}} G(k; w) = \infty$ . Second, suppose  $S(k_0) < w$ . Then,  $\lim_{k \nearrow k_0} G(k; w) = u'(w - S(k_0)) - D(k_0) \geq G_0(k_0; w) = 0$  with  $G_0$  defined by (7). Thus, in either case, there exists a solution  $0 < \tilde{k} \leq k_0 < w$ . Setting  $\tilde{p} = V(\tilde{k})$  completes the proof.  $\blacksquare$

## A.4 Proof of Lemma 3.2

Let  $P \in \mathcal{G}$  be arbitrary. As shown in the previous proof,  $TP = V \circ K_P$  where  $V$  is defined in (A.4) and, for  $w \in \mathbb{W}$ ,  $k = K_P(w)$  is the unique solution to  $G(k; w) = 0$  defined in (A.13). Clearly,  $K_P$  is continuous. Note from (A.4) that  $TP \geq 0$ ,  $P > 0$  implies  $TP > 0$  and  $P = 0$  implies  $TP = 0$ . As  $G$  in (A.13) is increasing in  $P$  and  $V$ ,  $K_P \leq K_0$  for all  $P$  with strict inequality if  $P > 0$ . By definition of  $K_P$  and (A.13),  $w > S(K_P(w)) > V(K_P(w)) = TP(w)$  for  $w \in \mathbb{W}$  which proves  $TP < \text{id}_{\mathbb{W}}$ .

To show that  $w \mapsto w - TP(w)$  is (even strictly) increasing, let  $w \in \mathbb{W}$  be an arbitrary interior point and choose  $\Delta > 0$  such that  $w + \Delta \in \mathbb{W}$ . We show that  $TP(w + \Delta) < TP(w) + \Delta$ . By contradiction, suppose  $TP(w + \Delta) \geq TP(w) + \Delta$ . Note that  $G$  defined in (A.13) is strictly decreasing in  $w$  and strictly increasing in  $k$  by strict monotonicity of  $D$  and  $S$ . These properties imply that  $K_P$  is strictly increasing which gives  $K_P(w + \Delta) > K_P(w)$ . Further, as shown in the previous proof, the function  $D$  defined in (A.5) is strictly decreasing which gives  $D(K_P(w + \Delta)) < D(K_P(w))$ . But by

---

(A.13) and our hypothesis

$$\begin{aligned}
D(K_P(w + \Delta)) &= u'(w + \Delta - TP(w + \Delta) - K_P(w + \Delta)) \\
&\geq u'(w - TP(w) - K_P(w + \Delta)) \\
&> u'(w - TP(w) - K_P(w)) \\
&= D(K_P(w))
\end{aligned}$$

which is a contradiction and proves that  $w \mapsto w - TP(w)$  is increasing.

Next, we show that  $TP$  is increasing. As  $TP = V \circ K_P$  and we have already shown that  $K_P$  is strictly increasing, it remains to show that  $V$  defined in (A.4) is increasing as well. To avoid trivialities, assume in the remainder that  $P > 0$ . Adjusting the arguments to the case where  $P \geq 0$  is straightforward. Let  $k \in \mathbb{K}$  be an arbitrary but fixed interior point. We show that  $V(k + \Delta) \geq V(k)$  for any  $0 < \Delta < k_{\max} - k$ . By property (U) from Assumption 2, the map  $a \mapsto av'(a + b)$ ,  $a > 0$  is increasing for any  $b \geq 0$ . Thus, by monotonicity of  $P \circ W$  the numerator in (A.4) satisfies

$$N(k + \Delta) \geq \tilde{N}(\Delta) := \mathbb{E}_\nu [P(W(k, \cdot))v'(P(W, k, \cdot) + (k + \Delta)R(k + \Delta, \cdot))]. \quad (\text{A.14})$$

Furthermore, by equation (A.6), the denominator in (A.4) satisfies  $D(k + \Delta) \leq \tilde{D}(\Delta)$ . Thus, defining  $\tilde{V}(\Delta) := \frac{\tilde{N}(\Delta)}{\tilde{D}(\Delta)}$ , we have  $V(k + \Delta) \geq \tilde{V}(\Delta)$  and  $\tilde{V}(0) = V(k)$ . It therefore suffices to show that  $\tilde{V}$  is increasing. Observe that unlike  $V$ ,  $\tilde{V}$  is  $C^1$  and, by direct computation, the derivative satisfies  $\tilde{V}'(\Delta) \geq 0$ , if and only if

$$A(\Delta) := (k + \Delta)^2 \tilde{N}'(\Delta) \tilde{D}(\Delta) - (k + \Delta)^2 \tilde{D}'(\Delta) \tilde{N}(\Delta) \geq 0. \quad (\text{A.15})$$

To establish that  $A(\Delta) \geq 0$ , let  $0 < \Delta \leq k_{\max} - k$  be arbitrary but fixed and, for the sake of brevity, define the non-negative random variables

$$X := (k + \Delta)R(k + \Delta, \cdot) |v''(P(k, \cdot) + (k + \Delta)R(k + \Delta, \cdot))|^{\frac{1}{2}} \quad (\text{A.16a})$$

$$Y := P(k, \cdot) |v''(P(k, \cdot) + (k + \Delta)R(k + \Delta, \cdot))|^{\frac{1}{2}} \quad (\text{A.16b})$$

both defined on the probability space  $(\Theta, \mathcal{B}(\Theta), \nu)$ . Then, by direct computation again, the derivative of  $\tilde{N}$  defined in (A.14) can be expressed as

$$(k + \Delta) \tilde{N}'(\Delta) = -(1 - E_{f'}(k + \Delta)) \mathbb{E}_\nu [XY] \quad (\text{A.17})$$

while the derivative of  $\tilde{D}$  computed in (A.9) satisfies

$$-(k + \Delta)^2 \tilde{D}'(\Delta) = E_{f'}(k + \Delta)(k + \Delta) \tilde{D}(\Delta) + (1 - E_{f'}(k + \Delta)) \mathbb{E}_\nu [X^2]. \quad (\text{A.18})$$

Suppose  $E_{f'}(k + \Delta) \geq 1$ . Then, by (A.17)  $\tilde{N}'(\Delta) \geq 0$  while, as shown in (A.9),  $\tilde{D}'(\Delta) < 0$ . Thus, all terms in (A.15) are positive implying  $A(\Delta) > 0$  in this case. Therefore, the



---

remainder assumes  $E_{f'}(k + \Delta) < 1$ . Note from (4) that  $\tilde{N}(\Delta) \geq \frac{\mathbb{E}_\nu[Y^2 + XY]}{E_{v'}^{\max}} \geq \frac{\mathbb{E}_\nu[XY]}{E_{v'}^{\max}}$ . Using this together with (A.17) and (A.18) in (A.19) gives

$$A(\Delta) \geq -(k + \Delta)\tilde{D}(\Delta)\mathbb{E}_\nu[XY] \left(1 - E_{f'}(k + \Delta)\frac{1 + E_{v'}^{\max}}{E_{v'}^{\max}}\right) + B(\Delta) \quad (\text{A.19})$$

where

$$B(\Delta) := \frac{\mathbb{E}_\nu[Y^2 + XY]\mathbb{E}_\nu[X^2]}{E_{v'}^{\max}}(1 - E_{f'}(k + \Delta)). \quad (\text{A.20})$$

By Hölder's inequality (see (Aliprantis & Border 2007, p.463 for the special case  $p = q = 2$  implying  $\frac{1}{p} + \frac{1}{q} = 1$ )), we have  $\mathbb{E}_\nu[X^2]\mathbb{E}_\nu[Y^2] \geq (\mathbb{E}_\nu[XY])^2$  which implies  $\mathbb{E}_\nu[Y^2 + XY]\mathbb{E}_\nu[X^2] = \mathbb{E}_\nu[Y^2]\mathbb{E}_\nu[X^2] + \mathbb{E}_\nu[XY]\mathbb{E}_\nu[X^2] \geq \mathbb{E}_\nu[XY]\mathbb{E}_\nu[X(Y + X)]$ . Further, using (A.16) and the bounds defined in (4) gives  $\mathbb{E}_\nu[X(X + Y)] \geq E_{v'}^{\min}(k + \Delta)\tilde{D}(\Delta)$ . Using both results in (A.20) gives

$$B(\Delta) \geq \frac{(k + \Delta)\tilde{D}(\Delta)\mathbb{E}_\nu[XY]E_{v'}^{\min}}{E_{v'}^{\max}}(1 - E_{f'}(k + \Delta)). \quad (\text{A.21})$$

Finally, using (A.21) in (A.19) gives the desired result

$$A(\Delta) \geq -\frac{(k + \Delta)\tilde{D}(\Delta)\mathbb{E}_\nu[XY]}{E_{v'}^{\max}} (E_{v'}^{\max} - E_{v'}^{\min} - E_{f'}(k + \Delta)(1 + E_{v'}^{\max} - E_{v'}^{\min})) \geq 0$$

where the last inequality follows from condition (5) in Assumption 3. This proves that  $\tilde{V}$  is weakly increasing which implies the desired result  $V(k + \Delta) \geq \tilde{V}(\Delta) \geq \tilde{V}(0) = V(k)$ . Finally, adopting an argument used and proved in (Morand & Reffett 2003, p.1360), monotonicity of  $TP$  and  $w \mapsto w - TP(w)$ ,  $w \in \mathbb{W}$  imply continuity of  $TP$ .  $\blacksquare$

## A.5 Proof of Lemma 3.3

Let  $P \in \mathcal{G}'$  be arbitrary. We need to show that  $TP$  is  $C^1$ . Since  $P$  is  $C^1$ , so are the mappings  $\tilde{P}$ ,  $S$ ,  $D$ , and  $\tilde{N}$  defined in (A.4) and (A.5) and  $G$  defined in (A.13). Recall that for each  $w \in \mathbb{W}$ ,  $K_P$  determines the unique zero of  $G(\cdot; w)$ . Since  $\partial_k G(k; w) > 0$ ,  $K_P$  is  $C^1$  by the implicit function theorem. Thus,  $TP = \tilde{P} \circ K_P$  is  $C^1$  as well.  $\blacksquare$

## A.6 Proof of Lemma 3.4

We only prove the strict inequalities, as the proof of the weak inequalities is analogous. Given  $P_1, P_0 \in \mathcal{G}'$ , suppose  $P_1 > P_0$ . For  $\lambda \in [0, 1]$ , define  $P_\lambda := \lambda P_1 + (1 - \lambda)P_0$ . Since  $\mathcal{G}'$  is convex,  $P_\lambda \in \mathcal{G}'$  and, using the monotonicity properties in (13), the derivative satisfies  $0 \leq P'_\lambda \leq 1$  for all  $\lambda$ . Moreover, the map  $\lambda \mapsto P_\lambda = P_0 + \lambda\Delta$  where  $\Delta := P_1 - P_0 > 0$  is strictly increasing (with respect to the point-wise ordering on  $\mathcal{G}$ ).

Let  $w \in \mathbb{W}$  be arbitrary but fixed. By Lemma 3.1 (and a slight abuse of notation), for each  $\lambda \in [0, 1]$  there exists a unique pair  $(k_\lambda, p_\lambda)$  which solves  $H_1(k_\lambda, p_\lambda; w, \lambda) = H_2(k_\lambda, p_\lambda; w, \lambda) = 0$ . We will now show that  $\lambda \mapsto k_\lambda$ ,  $\lambda \in [0, 1]$  is strictly decreasing and  $\lambda \mapsto p_\lambda$ ,  $\lambda \in [0, 1]$  is strictly increasing. This implies  $p_1 > p_0$  and  $k_1 < k_0$  and the claim.

Employing the same definitions and notation as in the proof of Lemma 3.1, write  $c_\lambda(k, \theta) := P_\lambda(W(k, \theta)) + kR(k, \theta)$ . Then, the pair  $(k_\lambda, p_\lambda)$  satisfies  $p_\lambda = \tilde{P}(k_\lambda, \lambda)$  where

$$\tilde{P}(k, \lambda) := \frac{\mathbb{E}_\nu [P_\lambda(W(k, \cdot))v'(c_\lambda(k, \cdot))]}{\mathbb{E}_\nu [R(k, \cdot)v'(c_\lambda(k, \cdot))]} =: \frac{N(k, \lambda)}{D(k, \lambda)}, \quad k \in \mathbb{K}, \lambda \in [0, 1]. \quad (\text{A.22})$$

To compute the partial derivatives of  $D$  and  $N$ , note that  $\partial_k W(k, \theta) = E_{f'}(k)R(k, \theta) > 0$  by (1a,b) which implies

$$\partial_k c_\lambda(k, \theta) = R(k, \theta)(E_{f'}(k)P'_\lambda(-) + 1 - E_{f'}(k)) \geq -R(k, \theta)E_{f'}(k). \quad (\text{A.23})$$

Taking the derivative of (A.22) one obtains, exploiting property (U) and suppressing arguments when convenient

$$\partial_k N(k, \lambda) = \mathbb{E}_\nu [P'_\lambda(\cdot)E_{f'}(k)R(k, \cdot)v'(\cdot) - P_\lambda(\cdot)|v''(\cdot)|\partial_k c_\lambda(k, \cdot)] \quad (\text{A.24})$$

$$\partial_\lambda N(k, \lambda) = \mathbb{E}_\nu [\Delta(k, \cdot)(v'(\cdot) - P_\lambda(W(k, \cdot))|v''(\cdot)|)] > 0 \quad (\text{A.25})$$

$$\partial_k D(k, \lambda) = -\frac{1}{k}\mathbb{E}_\nu [E_{f'}(k)R(k, \cdot)v'(\cdot) + kR(k, \cdot)|v''(\cdot)|\partial_k c_\lambda(k, \cdot)] \quad (\text{A.26})$$

$$\partial_\lambda D(k, \lambda) = -\mathbb{E}_\nu [\Delta(k, \cdot)R(k, \cdot)|v''(\cdot)|] < 0 \quad (\text{A.27})$$

where  $\Delta(k, \theta) := P_1(W(k, \theta)) - P_0(W(k, \theta)) > 0$  for all  $k \in \mathbb{K}$  and  $\theta \in \Theta$ . Using (A.23) and property (U) from Assumption 2 in (A.26), we infer that

$$\partial_k D(k, \lambda) < -\frac{E_{f'}(k)}{k}\mathbb{E}_\nu [R(k, \cdot)(v'(\cdot) - kR(k, \cdot)|v''(\cdot)|)] \leq 0. \quad (\text{A.28})$$

We show that  $\frac{dk_\lambda}{d\lambda} < 0$ . As  $k_\lambda$  is the unique solution to  $G(k, \lambda) := u'(w - k - \tilde{P}(k, \lambda)) - D(k, \lambda) = 0$ , the implicit function theorem yields the derivative

$$\frac{dk_\lambda}{d\lambda} = -\frac{\partial_\lambda G(k, \lambda)}{\partial_k G(k, \lambda)} \Big|_{k=k_\lambda} = -\frac{|u''(\cdot)|\partial_\lambda \tilde{P}(k_\lambda, \lambda) - \partial_\lambda D(k_\lambda, \lambda)}{|u''(\cdot)|(1 + \partial_k \tilde{P}(k_\lambda, \lambda)) - \partial_k D(k_\lambda, \lambda)}. \quad (\text{A.29})$$

As shown in the proof of Lemma 3.1, the map  $S(k, \lambda) := k + \tilde{P}(k, \lambda)$  is strictly increasing in  $k$  and, therefore, satisfies  $\partial_k S(k, \lambda) = 1 + \partial_k \tilde{P}(k, \lambda) \geq 0$ . Further, combining (A.22) with (A.25) and (A.27) shows that  $\partial_\lambda \tilde{P}(k, \lambda) > 0$ . This together with (A.27) and (A.28) shows that all terms determining the fraction in (A.29) are positive which gives  $\frac{dk_\lambda}{d\lambda} < 0$ .

Second, we show that  $\frac{dp_\lambda}{d\lambda} > 0$ . As  $p_\lambda = \tilde{P}(k_\lambda, \lambda)$  one obtains the derivative

$$\frac{dp_\lambda}{d\lambda} = \partial_k \tilde{P}(k_\lambda, \lambda) \frac{dk_\lambda}{d\lambda} + \partial_\lambda \tilde{P}(k_\lambda, \lambda). \quad (\text{A.30})$$

---

Using (A.29), the derivative (A.30) can equivalently be written as

$$\frac{dp_\lambda}{d\lambda} = \frac{|u''(\cdot)|\partial_\lambda\tilde{P}(k_\lambda, \lambda) + Z(k_\lambda, \lambda)}{|u''(\cdot)|(1 + \partial_k\tilde{P}(k_\lambda, \lambda)) - \partial_k D(k_\lambda, \lambda)} \quad (\text{A.31})$$

where  $Z(k, \lambda) := \partial_\lambda D(k, \lambda)\partial_k\tilde{P}(k, \lambda) - \partial_k D(k, \lambda)\partial_\lambda\tilde{P}(k, \lambda)$ . By (A.26) and our previous result, both the denominator and the first term in the numerator in (A.31) are strictly positive. Hence, it suffices to show that  $M(k_\lambda, \lambda) \geq 0$ . Using the explicit form of the derivatives  $\partial_k\tilde{P}$  and  $\partial_\lambda\tilde{P}$  computed from (A.22), this last expression can be written as

$$Z(k, \lambda) = \frac{\partial_\lambda D(k, \lambda)\partial_k N(k, \lambda) - \partial_k D(k, \lambda)\partial_\lambda N(k, \lambda)}{D(k, \lambda)}.$$

Using property (U), (A.25), and (A.27) gives  $\partial_\lambda N(k, \lambda) \geq -k\partial_\lambda D(k, \lambda)$ . Thus, it suffices to show  $\partial_k N(k, \lambda) + k\partial_k D(k, \lambda) \leq 0$ . By (A.24) and (A.26), recalling that  $0 \leq P'_\lambda \leq 1$ ,

$$\begin{aligned} -\partial_k N(k, \lambda) - k\partial_k D(k, \lambda) &= \mathbb{E}_\nu[(1 - P'_\lambda(\cdot))E'_f(k)R(k, \cdot)v'(\cdot) + c_\lambda(k, \cdot)|v''(\cdot)|\partial_k c_\lambda(k, \cdot)] \\ &> E'_f(k)\mathbb{E}_\nu[(1 - P'_\lambda(\cdot))R(k, \cdot)(v'(\cdot) - c_\lambda(k, \cdot)|v''(\cdot)|)] \geq 0 \end{aligned}$$

where the last inequality exploits (A.23). This proves  $Z(k_\lambda, \lambda) > 0$  and the claim.  $\blacksquare$

## A.7 Proof of Corollary 3.1

(i)  $T_d P_1 = T(P_1 + d) \geq T(P_0 + d) = T_d P_0$ . (ii)  $T_{d_1} P = T(P + d_1) \geq T(P + d_0) = T_{d_0} P$ .  $\blacksquare$

## A.8 Proof of Theorem 1

(i) We show the fixed point property for  $d = 0$ . The proof for  $d > 0$  is analogous. For convenience, we drop the subscript  $d = 0$  and denote the sequence  $(T^n P_0)_{n \geq 0}$  simply as  $(P_n)_{n \geq 0}$  and its pointwise limit by  $P^*$ . Also, for the sake of brevity we abuse our notation by writing  $P(k, \theta)$  instead of  $P(W(k, \theta))$ .

Let  $w \in \mathbb{W}$  be arbitrary but fixed. As  $(P_n)_n$  is a decreasing sequence of functions in  $\mathcal{G}'$ , monotonicity of  $K_\bullet$  due to Lemma 3.4 implies that the sequence  $k_n := K_{P_n}(w)$ ,  $n \geq 0$  is strictly increasing and converges to some limit  $0 < k^* \leq K_0(w) \leq k_{\max}$ . The claim will follow if we show that  $k^*$  and  $p^* := P^*(w)$  satisfy (15), i.e.,  $H_1(k^*, p^*; w, P^*, 0) = H_2(k^*, p^*; w, P^*, 0) = 0$ . Uniqueness of the solution to (15) then implies  $k^* = K_{P^*}(w)$ .

Let  $\theta \in [\theta_{\min}, \theta_{\max}]$  be arbitrary but fixed. We show that  $\lim_{n \rightarrow \infty} P_n(k_n, \theta) = P^*(k^*, \theta)$ . As  $(P_n)_{n \geq 0}$  is a sequence of increasing functions which converges pointwise to the continuous function  $P^*$ , convergence is uniform on  $\overline{\mathbb{W}} := [W(k_0, \theta_{\min}), w_{\max}] \subset \mathbb{W}$  by Theorem A in Buchanan & Hildebrandt (1908). Note that  $W(k_n, \theta) \in \overline{\mathbb{W}}$  for  $n \geq 0$ . Thus, for each  $\delta > 0$ , there is  $n_0 \geq 0$  such that  $|P_n(k_n, \theta) - P^*(k_n, \theta)| < \delta/2$  for all

---

$n \geq n_0$ . Further, by continuity of  $W$  and  $P^*$  there is  $n'_0 > 0$  such that  $n \geq n'_0$  implies  $|P^*(k_n, \theta) - P^*(k^*, \theta)| < \delta/2$ . Combining both insights, we have for all  $n \geq \max\{n_0, n'_0\}$ :

$$|P_n(k_n, \theta) - P^*(k^*, \theta)| \leq |P_n(k_n, \theta) - P^*(k_n, \theta)| + |P^*(k_n, \theta) - P^*(k^*, \theta)| < \delta.$$

For  $\theta \in [\theta_{\min}, \theta_{\max}]$ , define the functions

$$\begin{aligned}\phi_n^1(\theta) &:= R(k_n, \theta)v'(P_n(k_n, \theta) + k_n R(k_n, \theta)) \\ \phi_n^2(\theta) &:= P_n(k_n, \theta)v'(P_n(k_n, \theta) + k_n R(k_n, \theta)).\end{aligned}$$

The previous result and continuity of  $v'$  and  $R$  imply for each  $\theta \in [\theta_{\min}, \theta_{\max}]$

$$\begin{aligned}\lim_{n \rightarrow \infty} \phi_n^1(\theta) &= \phi_*^1(\theta) := R(k^*, \theta)v'(P^*(k^*, \theta) + k^* R(k^*, \theta)) \\ \lim_{n \rightarrow \infty} \phi_n^2(\theta) &= \phi_*^2(\theta) := P^*(k^*, \theta)v'(P^*(k^*, \theta) + k^* R(k^*, \theta)).\end{aligned}$$

As  $\phi_n^1(\theta) < R(k_1, \theta_{\max})v'(k_1 R(k_{\max}, \theta_{\min}))$  and  $\phi_n^2(\theta) < w_{\max}v'(k_1 R(k_{\max}, \theta_{\min}))$  for all  $n$ , the Lebesgue dominated convergence theorem implies  $\lim_{n \rightarrow \infty} \mathbb{E}_\nu[\phi_n^i(\cdot)] = \mathbb{E}_\nu[\phi_*^i(\cdot)]$ ,  $i = 1, 2$ . This,  $\lim_{n \rightarrow \infty} P_n(w) = p^*$  and  $\lim_{n \rightarrow \infty} u'(w - P_n(w) - k_n) = u'(w - p^* - k^*)$  imply that (15) is satisfied. Since  $w$  was arbitrary,  $P^*$  is a fixed point of  $T$ .

That  $d > 0$  implies  $P_d^* > 0$  follows directly from the Euler equations (14a,b) resp. (15).

To prove the stated properties of  $P_0^*$ , we show that  $P_0^*(w) = 0$  for *some*  $w \in \mathbb{W}$  implies  $P_0^*(w) = 0$  for *all*  $w \in \mathbb{W}$ . Let  $w_0 \in \mathbb{W}$  be arbitrary and suppose  $P_0^*(w_0) = 0$ . If  $w_0 = w_{\max}$ , the claim follows from monotonicity of  $P_0^*$ , so suppose  $w_0 < w_{\max}$ . By (14b) and (15),  $P_0^*(w_0) = 0$  implies  $P_0^*(W(K_{P_0^*}(w_0), \theta)) = 0$   $\nu$ -a.s. As  $\theta_{\max}$  is contained in the support of  $\nu$ , continuity of  $P_0^*$  yields  $P_0^*(W(K_0^*(w_0), \theta_{\max})) = 0$ . Moreover, (14a) and (15) imply  $K_0^*(w_0) = K_0(w_0)$ , the latter being defined by (7). Thus, under Assumption 4,  $w_1 := W(K_0^*(w_0), \theta_{\max})$  satisfies  $w_1 = W(K_0(w_0), \theta_{\max}) > w_0$  and  $P_0^*(w_1) = 0$ .

Let  $w_1 \leq w_n < w_{\max}$  be any value for which  $P_0^*(w_n) = 0$ . Repeating the previous argument shows that  $w_{n+1} := W(K_0^*(w_n), \theta_{\max}) = W(K_0(w_n), \theta_{\max}) > w_n$  and  $P_0^*(w_{n+1}) = 0$ . Due to Assumption 4, the sequence  $(w_n)_{n \geq 1}$  converges monotonically to  $w_{\max}$  and  $P_0^*(w_n) = 0$  for all  $n \geq 1$  implies  $P_0^*(w_{\max}) = 0$  due to continuity of  $P_0^*$ .

The remaining inequalities follow as limits from the monotonicity of  $K_\bullet$  and  $T$ . due to Lemma 3.4 and Corollary 3.1 which imply  $P_d^m > P_{d'}^m$  and  $K_{P_d^m+d} < K_{P_{d'}^m+d'}$  for all  $m$  which must (weakly) also hold in the limit. As for each  $w \in \mathbb{W}$ ,  $K_d^*(w)$  is the unique zero  $k$  of  $G_d(k; w) = u'(w - k - P_d^*(w)) - \mathbb{E}_\nu[R(k, \cdot)v'(P_d^*(W(k, \cdot)) + d + kR(k, \cdot))]$  which is strictly increasing in  $d$ , the second inequality even holds strictly.

(ii) Follows directly from  $P_d^* \in \mathcal{G}$  as shown in the main text and Lemma 3.2 (ii).

(iii) Follows directly from the previous results and Definitions 1 and 2. ■

## A.9 Proof of Lemma 3.5

Let  $(d_n)_{n \geq 0}$  be a sequence converging monotonically to zero. For each  $n \geq 1$ , define  $(P_{d_n}^m)_{m \geq 1}$  as  $P_0 = \text{id}_{\mathbb{W}}$  and  $P_{d_n}^m = T_{d_n}^m P_0 \in \mathcal{G}'$  for  $m \geq 1$ . This sequence is strictly monotonic and converges pointwise to  $P_{d_n}^* \in \mathcal{G}$  defined in (18). It follows from Theorem 1 (i) that the sequence of limits  $(P_{d_n}^*)_{n \geq 1}$  is decreasing such that the limiting function

$$P_0^{**}(w) := \lim_{n \rightarrow \infty} P_{d_n}^*(w) \quad (\text{A.32})$$

is well-defined for all  $w \in \mathbb{W}$ . Denote by  $P_0^*$  the limit in (18) for  $d = 0$ , i.e.,

$$P_0^*(w) = \lim_{m \rightarrow \infty} T^m P_0(w) \quad (\text{A.33})$$

for  $w \in \mathbb{W}$ . We would like to show that  $P_0^{**} = P_0^*$ .

As  $T_d$  is increasing in  $d$  by Corollary 3.1,  $P_{d_n}^m = T_{d_n}^m P_0 \geq T^m P_0 = P_0^m$  for all  $m$  which implies  $P_{d_n}^* \geq P_0^*$  for all  $n$ . Therefore,  $P_0^{**} \geq P_0^*$ . We therefore need to show  $P_0^{**} \leq P_0^*$ .

Suppose  $d_n = 0$  for all  $n \geq n_0$ . In this case  $n \geq n_0$  implies  $P_{d_n}^m = T_{d_n}^m P_0 = T^m P_0 = P_0^m$  for all  $m \geq 1$  and, therefore,  $P_0^{**} = P_0^*$ . The remainder of the proof therefore assumes that the dividend sequence is strictly positive, i.e.,  $d_n > 0$  for all  $n$  and strictly decreasing.

We first show that  $P_0^{**}$  in (A.32) is independent of the particular dividend sequence. For  $i = 1, 2$ , let  $(d_n^i)_{n \geq 1}$  be a strictly positive sequence converging monotonically to zero. Denote by  $P_0^{**,i}$  the pointwise limit (A.32) induced by  $(d_n^i)_{n \geq 1}$ . Now, for each  $n \geq 1$  there exists  $k \geq 0$  such that  $d_n^1 > d_{n+m}^2$  for all  $m \geq k$ . By Theorem 1(i), this implies  $P_{d_n^1}^* \geq P_{d_{n+m}^2}^*$  and, therefore,  $P_{d_n^1}^*(w) \geq \lim_{m \rightarrow \infty} P_{d_{n+m}^2}^*(w) = P_0^{**,2}(w)$  for all  $w \in \mathbb{W}$ . Since  $n$  was arbitrary,  $P_0^{**,1} \geq P_0^{**,2}$ . Reversing the argument gives  $P_0^{**,2} \geq P_0^{**,1}$ .

We show that  $P > P_0^{**}$  implies  $TP > P_0^{**}$  for any  $P \in \mathcal{G}'$ . As  $P_0 > P_0^{**}$  and  $P_0 \in \mathcal{G}'$ , we then obtain by simple induction that  $T^m P_0 > P_0^{**}$  for all  $m$  which proves  $P_0^* \geq P_0^{**}$ .

Let  $P \in \mathcal{G}'$  satisfy  $P > P_0^{**}$  and  $\hat{w} \in \mathbb{W}$  be arbitrary. We show  $TP(\hat{w}) > P_0^{**}(\hat{w})$ .<sup>17</sup> Given  $\hat{w}$ , define the compact set  $\overline{\mathbb{W}}_{\hat{w}} := [W(K_P(\hat{w}), \theta_{\min}), w_{\max}] \subset \mathbb{W}$ . We will construct a function  $\tilde{P} \in \mathcal{G}'$  such that  $P > \tilde{P}$  on  $\overline{\mathbb{W}}_{\hat{w}}$ . Noting that only the behavior of  $P$  and  $\tilde{P}$  on the interval  $\overline{\mathbb{W}}_{\hat{w}}$  is relevant to compute  $TP(\hat{w})$  and  $T\tilde{P}(\hat{w})$ , the same arguments as in the proof of Lemma 3.4 can then be used to show  $TP(\hat{w}) > T\tilde{P}(\hat{w})$ .<sup>18</sup>

In order to construct such a  $\tilde{P}$ , set  $\delta := \min_{w \in \overline{\mathbb{W}}_{\hat{w}}} \{P(w) - P_0^{**}(w)\} > 0$ . By Theorem A in (Buchanan & Hildebrandt 1908), there exists a  $d > 0$  such that  $\|P_d^*(w) - P_0^{**}(w)\|_{\infty} < \frac{\delta}{3}$  on  $\overline{\mathbb{W}}_{\hat{w}}$  as  $P_d^*$  converges monotonically to  $P_0^{**}$  for  $d \searrow 0$  (here  $\|\cdot\|_{\infty}$  denotes the supremum norm). By the same argument, there exists  $m \in \mathbb{N}$  such that  $\|T_d^m P_0(w) - P_d^*(w)\|_{\infty} < \frac{\delta}{3}$

<sup>17</sup>If  $P_0^{**} \in \mathcal{G}'$ , this follows trivially by monotonicity of  $T$  and the fixed point property  $TP_0^{**} = P_0^{**}$  which can be established as in the proof of Theorem 1. Unfortunately, however, we only know  $P_0^{**} \in \mathcal{G}$ .

<sup>18</sup>Observe that any convex combination  $P_{\lambda} = \lambda P + (1 - \lambda)\tilde{P}$  lies between  $P$  and  $\tilde{P}$ . Therefore, by monotonicity of  $K_{\bullet}$ ,  $W(K_{P_{\lambda}}(\hat{w}), \theta) \in \overline{\mathbb{W}}_{\hat{w}}$  for all  $\theta \in [\theta_{\min}, \theta_{\max}]$ .

---

on  $\overline{\mathbb{W}}_{\hat{w}}$  as  $(T_d^m P_0)_{m \geq 0}$  converges pointwise to  $P_d^*$ . Define  $\tilde{P} := T_d^m P_0$  and note that  $\|\tilde{P} - P_0^{**}\|_\infty < \frac{2\delta}{3}$  on  $\overline{\mathbb{W}}_{\hat{w}}$ . Further,  $P_0^{**} < T_{\tilde{d}}^{m+1} P_0 < T_{\tilde{d}} \circ T_d^m P_0$  on  $\mathbb{W}$  for any  $0 < \tilde{d} < d$ . Thus,  $P_0^{**} < T_{\tilde{d}} \tilde{P}$  for any  $\tilde{d} > 0$  which implies  $P_0^{**} \leq T\tilde{P}$ . This last results uses that

$$\lim_{n \rightarrow \infty} T_{d_n} P(w) = TP(w)$$

for all  $P \in \mathcal{G}'$ ,  $w \in \mathbb{W}$  and any monotonic sequence  $(d_n)_n$  converging to zero.<sup>19</sup> Combining these results we get  $TP(\hat{w}) > T\tilde{P}(\hat{w}) \geq P_0^{**}(\hat{w})$  for any  $\hat{w} \in \mathbb{W}$ .

To show that  $\lim_{n \rightarrow \infty} K_{d_n}^*(w) = K_0^*(w)$  for each  $w \in \mathbb{W}$ , note that  $(K_{d_n}^*(w))_n$  is increasing by Theorem 1(i) and converges to some limit  $k^* \leq K_0(w)$ . By the same arguments used in the proof of Theorem 1(i),  $k^*$  and  $p^* := P_0^*(w)$  satisfy the Euler equations at  $P = P_0^*$  and  $d = 0$  which implies  $k^* = K_{P_0^*}(w)$  by uniqueness of the solution to (15). ■

## B Efficiency and Inefficiency of MEA

In this appendix, we review the recursive characterization of interim Pareto optimality for stationary exchange economies obtained in (Barbie & Kaul 2015) and adapt their results to characterize the optimality of MEA in a stochastic production economy. As large parts of the analysis holds almost unchanged and requires mainly notational changes, we will frequently refer to (Barbie & Kaul 2015) for the details and proofs and just repeat the core facts. To adapt the results, we need the characterization of interim optimality for production OLG models from Barbie et al. (2007) who extended the pure exchange case in (Chattopadhyay & Gottardi 1999).

### B.1 Notation and definitions

Let  $A = (K, C^y, C^o)$  be a continuous, bounded MEA defined as in Section 4.2 and  $\overline{\mathbb{W}} = [\underline{w}, w_{\max}]$  be a stable set of  $A$ . Fixing the initial shock  $\theta_0 \in \Theta$  permits  $\overline{\mathbb{W}}$  to be used as the state space which corresponds to the set  $S$  in (Barbie & Kaul 2015). To adapt our notation to their setup, note that any two successive states  $w$  and  $w'$  permit to recover the shock in the second period via  $\theta' = w'/W(K(w), 1)$ . Thus, define the (modified) pricing kernel  $m : \overline{\mathbb{W}} \times \overline{\mathbb{W}} \rightarrow \mathbb{R}_{++}$

$$m(w, w') := \frac{v'(C^o(w, w'/W(K(w), 1)))}{u'(C^y(w))}. \quad (\text{B.1})$$

---

<sup>19</sup>To see this, fix  $w \in \mathbb{W}$  and let  $p_n := T_{d_n} P(w)$  and  $k_n := K_{P+d_n}(w)$ . By Corollary 3.1 and monotonicity of  $K_\bullet$ , these sequences converge monotonically to values  $p^* \geq 0$  and  $k^* > 0$ , respectively. As  $H^i(k_n, p_n, w, P, d_n) = 0$  for all  $n$  and  $i = 1, 2$ , continuity of  $H^i$  implies  $H^i(k^*, p^*, w, P, 0) = 0$ . Uniqueness of the solution to (15) implies  $p^* = TP(w)$  and  $k^* = K_P(w)$ .

---

Denote by  $\mathcal{B}(\overline{\mathbb{W}})$  the Borel- $\sigma$  algebra on  $\overline{\mathbb{W}}$ . As shocks are i.i.d., function  $K$  defines a transition probability  $Q : \overline{\mathbb{W}} \times \mathcal{B}(\overline{\mathbb{W}}) \rightarrow [0, 1]$ ,

$$Q(w, G) := \nu(\{\theta \in \Theta \mid W(K(w), \theta) \in G.\}). \quad (\text{B.2})$$

Note that  $Q$  has the Feller property since the function  $W \circ K$  is continuous. By the change-of variable formula, the inequality (21) can be written as

$$\int_{\overline{\mathbb{W}}} \eta(w') m(w, w') Q(w, dw') > \eta(w). \quad (\text{B.3})$$

To adapt their formal arguments the remainder follows Barbie et al. (2007) by assuming that the shock-process is finite-valued, i.e.,  $\Theta = \{\theta_1, \dots, \theta_N\}$ . Thus, if  $w_t \in \overline{\mathbb{W}}$  is the state in period  $t$ , there are  $N$  successive states  $w_{t+1} = W(K(w_t), \theta_{t+1})$ . If  $w' \in \overline{\mathbb{W}}$  is a such a successor, we write  $w' \succ w_t$ . With this notation, an integral of the form (B.3) can be written as  $\sum_{w' \succ w} \eta(w') m(w, w') Q(w, w')$ .

Given some initial state  $w_0 \in \overline{\mathbb{W}}$ , denote by  $W^t(w_0)$  the set of histories  $w^t = (w_0, \dots, w_t)$  observed up to time  $t$ , i.e.,  $w_n \succ w_{n-1}$  for all  $n = 1, \dots, t$ . Further, let  $W^\infty(w_0)$  denote the set of all infinite histories  $w^\infty = (w_t^\infty)_{t \geq 0}$ , i.e.,  $w_t^\infty \succ w_{t-1}^\infty$  for all  $t \geq 1$  and  $w_0^\infty = w_0$ . For any infinite path  $w^\infty \in W^\infty(w_0)$ , denote by  $(w^\infty)^t$  the induced history up to time  $t \geq 0$  along this path, i.e.  $(w^\infty)^t = (w_0^\infty, w_1^\infty, \dots, w_t^\infty) \in W^t(w_0)$ .

Similar to (Chattopadhyay & Gottardi 1999), define for each  $w^t \in W^t(w_0)$  the set *weights*<sup>20</sup>

$$\mathcal{U}(w^t) = \left\{ \lambda(w^t, w') \in \mathbb{R}_+ \mid w' \succ w_t, \sum_{w' \succ w_t} \lambda(w^t, w') Q(w_t, w') = 1 \right\}.$$

Given some  $w_0 \in \overline{\mathbb{W}}$ , define  $\mathcal{U}^\infty(w_0)$  to be the family of weights  $\lambda^\infty = (\lambda(w^t, \cdot))_{t \geq 1}$  where  $w^t \in W^t(w_0)$  and  $\lambda(w^t, \cdot) \in \mathcal{U}(w^t)$  for all  $t$ .

## B.2 Recursive characterization of inefficiency

Barbie et al. (2007) derive a condition for interim Pareto inefficiency in a stochastic Diamond model. For a MEA  $A$  which satisfies the restrictions from Lemma 4.1, the necessary part of this result can be stated as follows.

---

<sup>20</sup>As explained in detail in (Barbie & Kaul 2015), the definition of a weight given in (Chattopadhyay & Gottardi 1999) (and also in Barbie et al. (2007)) is slightly different from here (and in (Barbie & Kaul 2015)). Because (Chattopadhyay & Gottardi 1999) use an abstract date-event tree setting without objective probabilities, their definition is without probabilities, but equivalent to the one given here.

---

**Lemma B.1**

If  $A = (K, C^y, C^o)$  is inefficient at  $w_0 \in \overline{\mathbb{W}}$ , there exists a family of weights  $\lambda^\infty \in \mathcal{U}^\infty(w_0)$  and a constant  $C \geq 0$  such that for each path  $w^\infty \in W^\infty(w_0)$

$$\sum_{i=0}^{\infty} \prod_{j=0}^i \frac{\lambda((w^\infty)^j, w_{j+1}^\infty)}{m(w_j^\infty, w_{j+1}^\infty)} \leq C. \quad (\text{B.4})$$

As noted in (Barbie & Kaul 2015), the condition (B.4) can be restated as a minimax problem. The max-part is taking the supremum over all possible paths, the min-part is taking the infimum over all possible weights. For any  $w_0 \in \overline{\mathbb{W}}$ , define the value function

$$J^*(w_0) := \inf_{\lambda^\infty \in \mathcal{U}^\infty(w_0)} \sup_{w^\infty \in W^\infty(w_0)} \left\{ 1 + \sum_{i=0}^{\infty} \prod_{j=0}^i \frac{\lambda((w^\infty)^j, w_{j+1}^\infty)}{m(w_j^\infty, w_{j+1}^\infty)} \right\}. \quad (\text{B.5})$$

The next result follows immediately from Lemma B.1 and (B.5).

**Corollary B.1**

If  $A$  is inefficient at  $w_0 \in \overline{\mathbb{W}}$ , then  $J^*(w_0) < \infty$ .

Following (Barbie & Kaul 2015) we show that (B.5) defines a recursive structure permitting  $J^*$  to be computed as a fixed point of some operator  $Z$ . For each  $w \in \overline{\mathbb{W}}$ , denote the set of all *stationary weights*

$$\mathcal{U}(w) = \left\{ \lambda(w, w') \in \mathbb{R}_+ \mid w' \succ w, \sum_{w' \succ w} \lambda(w, w') Q(w, w') = 1 \right\}.$$

Define the operator  $Z$  which associates with any nonnegative extended real-valued function  $J : \overline{\mathbb{W}} \rightarrow \mathbb{R}_+ \cup \{+\infty\}$  the new function  $ZJ$  defined for all  $w \in \overline{\mathbb{W}}$  as

$$ZJ(w) := 1 + \inf_{\lambda(w, \cdot) \in \mathcal{U}(w)} \sup_{w' \succ w} \left\{ \frac{\lambda(w, w')}{m(w, w')} \cdot J(w') \right\}. \quad (\text{B.6})$$

Note that  $Z$  is monotonic, i.e.,  $J_1 \geq J_2$  implies  $ZJ_1 \geq ZJ_2$ . The operator  $Z$  can now be used to compute a value function that solves the functional equation (B.6). Construct the sequence  $(J_n)_{n \geq 0}$  of functions  $J_n$  defined on  $\overline{\mathbb{W}}$  recursively by setting  $J_0 \equiv 1$  and  $J_n = ZJ_{n-1}$  for  $n \geq 1$ . For each  $w \in \overline{\mathbb{W}}$ , define the function

$$J_\infty(w) := \lim_{n \rightarrow \infty} J_n(w). \quad (\text{B.7})$$

Note that the pointwise limit in (B.7) exists since the sequence  $(J_n)_{n \geq 0}$  is increasing. We now have the following result. The proof is the same as in (Barbie & Kaul 2015) for Theorem 1 and Proposition 2 (with the appropriate notational changes).

**Lemma B.2**

The function  $J_\infty$  defined in (B.7) is a fixed point of  $Z$  that coincides with the value function  $J^*$  defined in (B.5), i.e.,  $J_\infty = ZJ_\infty = J^*$ .



---

### B.3 Proof of Lemma 4.1 (i)

By Corollary B.1, if  $A$  is inefficient then  $J^*(w_0) < \infty$  for all  $w_0 \in \overline{\mathbb{W}}$ . Set  $\eta(w) := 1/J^*(w)$  for  $w \in \overline{\mathbb{W}}$ . It follows from the same arguments as in the proofs of Proposition 4 and Theorem 2(a) in (Barbie & Kaul 2015) that  $\eta$  is a strictly positive, upper-semicontinuous function which takes values in the unit interval (since  $J^* > 1$ ) and satisfies (B.3) for all  $w \in \overline{\mathbb{W}}$ . As boundedness of  $A$  permits to choose the lower bound  $\underline{w}$  arbitrarily small, the previous construction of  $\eta$  can be extended to the entire interval  $\mathbb{W} = ]0, w_{\max}]$ .  $\blacksquare$

### B.4 Proof of Lemma 4.1 (ii)

In this section we present a new additional sufficient condition under which the function  $\eta$  constructed as in the previous subsection is continuous, not just upper-semicontinuous. We will then argue that this condition is satisfied if the kernel  $m_A$  exhibits the monotonicity property required in Lemma 4.1 (ii). We have the following result:

#### Lemma B.3

Suppose  $J^* = J_\infty$  defined in (B.7) is uniformly bounded on  $\overline{\mathbb{W}}$ , i.e., there exists a constant  $M \geq 0$  such  $J^*(w) \leq M$  for all  $w \in \overline{\mathbb{W}}$ . Then  $\eta = 1/J^*$  is continuous.

*Proof:* Construct the sequence  $(J_n)_{n \geq 0}$  as above by setting  $J_0 \equiv 1$  and  $J_n = ZJ_{n-1}$  for  $n \geq 1$ . Recall that  $J_1 > 1 = J_0$  and monotonicity of  $Z$  imply that  $(J_n)_{n \geq 0}$  is strictly increasing, i.e.,  $J_n > J_{n-1}$  for all  $n \geq 0$ . By Lemma B.2, we know that the pointwise limit  $J^*$  defined in (B.7) is a fixed point of  $Z$ . We will show that under the hypotheses of Lemma B.3,  $(J_n)_{n \geq 1}$  is a Cauchy sequence in the space of bounded continuous functions on  $\overline{\mathbb{W}}$ . As this space is complete, the sequence must converge to some bounded continuous function, which coincides with the pointwise limit  $J^*$ .

First, we show that each  $J_n$  is of the form  $J_n(w) = 1 + c_n^*(w)$  for some continuous function  $c_n^* : \overline{\mathbb{W}} \rightarrow \mathbb{R}_+$ . Clearly, this holds trivially for  $n = 0$  and  $c_0^* \equiv 0$ . By induction, suppose  $J_{n-1}(w) = 1 + c_{n-1}^*(w)$  for some  $n \geq 1$ . For each  $w \in \overline{\mathbb{W}}$  and  $w' \succ w$ , define the function

$$\lambda_n^*(w, w') := \frac{m(w, w')}{J_{n-1}(w')} c_n^*(w) \quad (\text{B.8})$$

where  $c_n^*$  is chosen such that  $\sum_{w' \succ w} \lambda_n^*(w, w') Q(w, w') = 1$  for all  $w \in \overline{\mathbb{W}}$ , i.e.,

$$c_n^*(w) := \left[ \sum_{w' \succ w} \frac{m(w, w')}{J_{n-1}(w')} Q(w, w') \right]^{-1}. \quad (\text{B.9})$$

Note that  $\lambda_n^*$  is continuous and attains the infimum in (B.6). Hence,

$$J_n(w) = 1 + \max_{w' \succ w} \frac{\lambda_n^*(w, w')}{m(w, w')} J_{n-1}(w') = 1 + c_n^*(w). \quad (\text{B.10})$$

As continuity of  $c_{n-1}^*$  implies continuity of  $c_n^*$ , this proves that each  $J_n$  is continuous and, therefore, bounded on the compact set  $\overline{\mathbb{W}}$ .

Defining  $\lambda_n^*$  by (B.8) for each  $n \geq 1$  we can now use the first equality in (B.10) to expand  $J_n$  for all  $w_0 \in \overline{\mathbb{W}}$  as

$$\begin{aligned} J_n(w_0) &= 1 + \max_{w_1 \succ w_0} \frac{\lambda_n^*(w_0, w_1)}{m(w_0, w_1)} \left[ 1 + \max_{w_2 \succ w_1} \frac{\lambda_{n-1}^*(w_1, w_2)}{m(w_1, w_2)} J_{n-2}(w_2) \right] \\ &= 1 + \max_{w_1 \succ w_0} \frac{\lambda_n^*(w_0, w_1)}{m(w_0, w_1)} \left[ 1 + \max_{w_2 \succ w_1} \frac{\lambda_{n-1}^*(w_1, w_2)}{m(w_1, w_2)} \left[ \dots \right. \right. \\ &\quad \left. \left. \left[ 1 + \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} \right] \dots \right] \right]. \end{aligned} \quad (\text{B.11})$$

The final term in (B.11) satisfies  $1 + \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} = J_1(w_{n-1}) = 1 + c_1^*(w_{n-1})$ . Clearly,  $\lambda_n^*$  does not necessarily attain the infimum when defining  $J_{n+1}$  by (B.6). Therefore, for all  $w_0 \in \overline{\mathbb{W}}$ , recalling that  $J_1(w) = 1 + c_1^*(w)$

$$\begin{aligned} J_{n+1}(w_0) &= 1 + \max_{w_1 \succ w_0} \frac{\lambda_{n+1}^*(w_0, w_1)}{m(w_0, w_1)} J_n(w_1) \\ &\leq 1 + \max_{w_1 \succ w_0} \frac{\lambda_n^*(w_0, w_1)}{m(w_0, w_1)} J_n(w_1) \\ &\leq 1 + \max_{w_1 \succ w_0} \frac{\lambda_n^*(w_0, w_1)}{m(w_0, w_1)} \left[ 1 + \max_{w_2 \succ w_1} \frac{\lambda_{n-1}^*(w_1, w_2)}{m(w_1, w_2)} \left[ \dots \right. \right. \\ &\quad \left. \left. \left[ 1 + \max_{w_{n-1} \succ w_{n-2}} \frac{\lambda_2^*(w_{n-2}, w_{n-1})}{m(w_{n-2}, w_{n-1})} \left[ 1 + \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} (1 + c_1^*(w_n)) \right] \dots \right] \right] \right]. \end{aligned} \quad (\text{B.12})$$

By elementary observations<sup>21</sup>, the final term in (B.12) satisfies for any  $w_{n-2} \in \overline{\mathbb{W}}$

$$\begin{aligned} &\max_{w_{n-1} \succ w_{n-2}} \frac{\lambda_2^*(w_{n-2}, w_{n-1})}{m(w_{n-2}, w_{n-1})} \left[ 1 + \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} (1 + c_1^*(w_n)) \right] \\ &\leq \max_{w_{n-1} \succ w_{n-2}} \frac{\lambda_2^*(w_{n-2}, w_{n-1})}{m(w_{n-2}, w_{n-1})} \left[ 1 + \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} + \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} c_1^*(w_n) \right] \\ &\leq \max_{w_{n-1} \succ w_{n-2}} \frac{\lambda_2^*(w_{n-2}, w_{n-1})}{m(w_{n-2}, w_{n-1})} \left[ 1 + \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} \right] \\ &+ \max_{w_{n-1} \succ w_{n-2}} \frac{\lambda_2^*(w_{n-2}, w_{n-1})}{m(w_{n-2}, w_{n-1})} \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} c_1^*(w_n). \end{aligned}$$

Solving (B.12) in this recursive fashion and using (B.11) we obtain for all  $n$  and  $w_0 \in \overline{\mathbb{W}}$

$$J_{n+1}(w_0) \leq J_n(w_0) + \max_{w_1 \succ w_0} \frac{\lambda_n^*(w_0, w_1)}{m(w_0, w_1)} \dots \max_{w_n \succ w_{n-1}} \frac{\lambda_1^*(w_{n-1}, w_n)}{m(w_{n-1}, w_n)} c_1^*(w_n). \quad (\text{B.13})$$

<sup>21</sup>These are  $\max_x \{A(x) + B(x)\} \leq \max_x \{A(x)\} + \max_x \{B(x)\}$  and  $\max_x \{A(x)\} \max_{y \in G(x)} \{B(y) + C(y)\} \leq \max_x \{A(x)\} \max_{y \in G(x)} \{B(y)\} + \max_x \{A(x)\} \max_{y \in G(x)} \{C(y)\}$  for real-valued functions  $A, B, C$  and some correspondence  $G$ .

Using (B.8) and (B.10) in (B.13) we obtain for all  $n \in \mathbb{N}$  and  $w_0 \in \overline{\mathbb{W}}$

$$\begin{aligned} J_{n+1}(w_0) - J_n(w_0) &\leq \max_{w_1 \succ w_0} \frac{c_n^*(w_0)}{1 + c_{n-1}^*(w_1)} \cdot \max_{w_2 \succ w_1} \frac{c_{n-1}^*(w_1)}{1 + c_{n-2}^*(w_2)} \cdots \max_{w_n \succ w_{n-1}} c_1^*(w_{n-1}) \cdot c_1^*(w_n) \\ &= c_n^*(w_0) \cdot \max_{w_1 \succ w_0} \frac{c_{n-1}^*(w_1)}{1 + c_{n-1}^*(w_1)} \cdots \max_{w_{n-1} \succ w_{n-2}} \frac{c_1^*(w_{n-1})}{1 + c_1^*(w_{n-1})} \cdot \max_{w_n \succ w_{n-1}} c_1^*(w_n). \end{aligned}$$

Since  $M \geq J^*(w) \geq J_n(w) = 1 + c_n^*(w) > c_n^*(w)$  for any  $w \in \overline{\mathbb{W}}$  and  $n \in \mathbb{N}$ , we get

$$0 < J_{n+1}(w) - J_n(w) \leq M^2 \cdot \left( \frac{M}{1 + M} \right)^{n-1}$$

for all  $w \in \overline{\mathbb{W}}$ . But this means that

$$\|J_{n+1} - J_n\|_\infty \leq B(\beta)^{n-1}$$

where  $\|\cdot\|_\infty$  is the supremum norm on the space of bounded continuous functions on  $\overline{\mathbb{W}}$  and  $B > 0$  and  $0 < \beta < 1$ . By standard arguments, this implies

$$\|J_{n+m} - J_n\|_\infty \leq B\beta^{n-1} \frac{1}{1 - \beta}$$

for all  $n, m > 0$  and so  $(J_n)_{n \geq 0}$  is a Cauchy sequence, as was to be shown.  $\square$

Now suppose  $m_A$  defined in (20) is monotonically increasing. We show that this implies the hypothesis of Lemma B.3. Using the change of variable formula in (B.9) yields

$$\frac{1}{c_n^*(w)} = \sum_{w' \succ w} \frac{m(w, w')}{1 + c_{n-1}^*(w')} Q(w, w') = \mathbb{E}_\nu \left[ \frac{m_A(w, \cdot)}{1 + c_{n-1}^*(W(K(w), \cdot))} \right].$$

As the term to the far right is a strictly increasing function whenever  $c_{n-1}^*$  is decreasing, it follows by induction that each  $J_n(w) = 1 + c_n^*(w)$ ,  $w \in \overline{\mathbb{W}}$  is strictly decreasing which implies  $J_n(w) \leq J_n(\underline{w})$  for all  $n$ . Taking the limit gives  $J^*(w) \leq J^*(\underline{w})$  for all  $w \in \overline{\mathbb{W}}$ . Finally, if  $A$  is inefficient at  $w_0$ , monotonicity of  $J^*$  implies  $J^*(w'_0) \leq J^*(w_0) < \infty$  also for  $w_0 \geq w'_0$ , i.e.,  $A$  is also inefficient for all  $w_0 \geq w'_0$ .  $\blacksquare$

## B.5 Proof of Lemma 4.2

For each  $w \in \mathbb{W}$  and  $\theta \in \Theta$ , define  $C_0^o(w, \theta) := K_0(w)R(K_0(w), \theta)$  and  $\tilde{m}(w) := \mathbb{E}_\nu[R(K_0(w), \cdot)v'(C_0^o(w; \cdot))]$ . Using (7), the pricing kernel  $m_0$  can be written as

$$m_0(w, \theta) = v'(C_0^o(w, \theta))/\tilde{m}(w).$$

Let  $w \in \mathbb{W}$  and  $\theta \in \Theta$  be arbitrary but fixed and set  $c_0 := C_0^o(w, \theta)$  and  $k_0 := K_0(w)$ . Then, by direct computations  $\frac{\partial m_0}{\partial w}(w, \theta) = \frac{K_0'(w)v'(c_0)}{k_0\tilde{m}(w)}H(w)$  where

$$H(w) := E_{f'}(k_0) + (1 - E_{f'}(k_0)) \left( \frac{\mathbb{E}_\nu[R(k_0, \cdot)C_0(w, \cdot)|v''(C_0(w, \cdot))]}{\tilde{m}(w)} - E_{v'}(c_0) \right) \quad (\text{B.14})$$

---

determines the sign of  $\frac{\partial m_0}{\partial w}(w, \theta)$ . Using (4), we have  $0 \leq E_{v'}^{\min} \leq E_{v'}(c_0) \leq E_{v'}^{\max} \leq 1$  and

$$E_{v'}^{\min} \tilde{m}(w) \leq \mathbb{E}_\nu[R(k_0, \cdot)C_0(w, \cdot)|v''(C_0(w, \cdot))] \leq E_{v'}^{\max} \tilde{m}(w).$$

Using these bounds in (B.14), we obtain

$$H(w) \geq E_{f'}(k_0) + E_{v'}^{\min} - E_{v'}^{\max} - E_{f'}(k_0)(E_{v'}^{\max} - E_{v'}^{\min}). \quad (\text{B.15})$$

As the r.h.s in (B.15) is non-negative due to (5) in Assumption 3, the claim follows. ■

## B.6 Proof of Lemma 4.3

As both  $C^y$  and  $C^o$  are continuous, strictly positive functions on their compact domains  $\overline{\mathbb{W}}$  and  $\overline{\mathbb{W}} \times \Theta$ , respectively, we can choose  $\bar{\alpha} > 0$  such that the 'perturbed' allocation  $(K, C_\alpha^y, C_\alpha^o)$  defined as  $C_\alpha^y(w) := C^y(w) - \alpha\eta(w)$  and  $C_\alpha^o(w, \theta) = C^o(w, \theta) + \alpha\eta(W(K(w), \theta))$  is strictly positive and feasible for all  $\alpha \in [-\bar{\alpha}, \bar{\alpha}]$  and  $w \in \overline{\mathbb{W}}$ . Thus, given  $w \in \overline{\mathbb{W}}$ , the map  $h(\alpha; w) := u(C_\alpha^y(w)) + \mathbb{E}_\nu[v(C_\alpha^o(w, \cdot))]$  is well-defined and determines the utility of a generation born in state  $w \in \overline{\mathbb{W}}$  under the perturbation  $\alpha \in [-\bar{\alpha}, \bar{\alpha}]$ . We will determine  $\alpha^* > 0$  such that  $h(\alpha^*; w) - h(0; w) > 0$  for all  $w \in \overline{\mathbb{W}}$ , i.e., the perturbed allocation improves the utility of any generation. Let  $w \in \overline{\mathbb{W}}$  be fixed. As  $h(\cdot; w)$  is twice continuously differentiable on the open interval  $]-\bar{\alpha}, \bar{\alpha}[$ , we have

$$h(\alpha; w) - h(0; w) = h'(0; w)\alpha + \frac{1}{2}h''(\xi; w)\alpha^2$$

for  $0 \leq \alpha \leq \bar{\alpha}$  and some  $0 < \xi < \alpha$  that may depend on both  $w$  and  $\alpha$ . By hypothesis,

$$h'(0; w) = -u'(C^y(w))\eta(w) + \mathbb{E}_\nu[v'(C^o(w, \cdot))\eta(W(K(w), \cdot))] > 0$$

for all  $w$ . Further, using the Lebesgue-dominated convergence theorem

$$h''(\xi; w) = u''(C_\xi^y(w))(\eta(w))^2 + \mathbb{E}_\nu[v''(C_\xi^o(w, \cdot))(\eta(W(K(w), \cdot)))^2] < 0.$$

By the Lebesgue dominated convergence theorem again, both mappings  $w \mapsto h'(0; w)$  and  $(\xi; w) \mapsto h''(\xi; w)$  are continuous on  $\overline{\mathbb{W}}$  and  $[0, \bar{\alpha}] \times \overline{\mathbb{W}}$ , respectively. Thus, there exist  $\Delta_1 > 0$  and  $\Delta_2 < 0$  such that  $h(\alpha; w) - h(0; w) \geq \Delta_1\alpha + \Delta_2\alpha^2$  for all  $w \in \overline{\mathbb{W}}$  and  $\alpha \in [0, \bar{\alpha}]$ . Choosing  $\alpha^* > 0$  sufficiently small therefore ensures that  $h(\alpha^*; w) > h(0; w)$  for all  $w \in \overline{\mathbb{W}}$ . ■

## References

AIYAGARI, R. & D. PELED (1991): "Dominant Root Characterization of Pareto Optimality and the Existence of Optimal Equilibria in Stochastic Overlapping Generations Models", *Journal of Economic Theory*, 54, 69–83.

- 
- ALIPRANTIS, C. D. & K. C. BORDER (2007): *Infinite Dimensional Analysis*. Springer-Verlag, Berlin a.o.
- BALL, L., D. ELMENDORF & N. MANKIW (1998): “The Deficit Gamble”, *Journal of Money, Credit, and Banking*, 30, 699–720.
- BARBIE, M., M. HAGEDORN & A. KAUL (2007): “On the Interaction between Risk Sharing and Capital Accumulation in a Stochastic OLG Model with Production”, *Journal of Economic Theory*, 137, 568–579.
- BARBIE, M. & A. KAUL (2009): “The Zilcha criteria for dynamic inefficiency reconsidered”, *Economic Theory*, 40, 339–348.
- (2015): “Pareto Optimality and Existence of Monetary Equilibria in a Stochastic OLG Model: A Recursive Approach”, Working paper, University of Cologne, Cologne.
- BOSE, A. & D. RAY (1993): “Monetary equilibrium in an overlapping generations model with productive capital”, *Economic Theory*, 3, 697–716.
- BUCHANAN, H. E. & T. H. HILDEBRANDT (1908): “Note on the Convergence of a Sequence of Functions of a Certain Type”, *Annals of Mathematics*, 9(3), 123–126.
- CASS, D. (1972): “On Capital Overaccumulation in the Aggregative Neoclassical Model of Economic Growth: A Complete Characterization”, *Journal of Economic Theory*, 4, 200–223.
- CHATTOPADHYAY, S. & P. GOTTARDI (1999): “Stochastic OLG Models, Market Structure and Optimality”, *Journal of Economic Theory*, 89, 21–67.
- COLEMAN, W. J. I. (1991): “Equilibrium in a Production Economy with an Income Tax”, *Econometrica*, 59, 1091–1104.
- (2000): “Uniqueness of an Equilibrium in Infinite-Horizon Economies Subject to Taxes and Externalities”, *Journal of Economic Theory*, 95, 71–78.
- DEMANGE, G. (2002): “On Optimality in Intergenerational Risk Sharing”, *Economic Theory*, 20, 1–27.
- DEMANGE, G. & G. LAROQUE (2000): “Social Security, Optimality, and Equilibria in a Stochastic Overlapping Generations Economy”, *Journal of Public Economic Theory*, 2(1), 1–23.
- DIAMOND, P. (1965): “National Debt in a Neoclassical Growth Model”, *American Economic Review*, 55(5), 1126–1150.

- 
- FARHI, E. & J. TIROLE (2012): “Bubbly Liquidity”, *Review of Economic Studies*, 79, 678–706.
- GALOR, O. & H. E. RYDER (1989): “Existence, Uniqueness, and Stability of Equilibrium in an Overlapping-Generations Model with Productive Capital”, *Journal of Economic Theory*, 49, 360–375.
- GOTTARDI, P. & F. KÜBLER (2011): “Social Security and Risk Sharing”, *Journal of Economic Theory*, 146, 1078–1106.
- GREENWOOD, J. & G. HUFFMAN (1995): “On the Existence of Nonoptimal Equilibria in Dynamic Stochastic Economies”, *Journal of Economic Theory*, 65, 611–623.
- HAUENSCHILD, N. (2002): “Capital Accumulation in a Stochastic Overlapping Generations Model with Social Security”, *Journal of Economic Theory*, 106, 201–216.
- HELLWIG, C. & G. LORENZONI (2009): “Bubbles and Self-Enforcing Debt”, *Econometrica*, 77(4), 1137–1164.
- HILLEBRAND, M. (2011): “On the Role of Labor Supply for the Optimal Size of Social Security”, *Journal of Economic Dynamics and Control*, 35, 1091–1105.
- (2014): “Uniqueness of Markov Equilibrium in Stochastic OLG Models with Nonclassical Production”, *Economics Letters*, 123(2), 171–176.
- IKEDA, D. & T. PHAN (2016): “Toxic asset bubbles”, *Economic Theory*, 61, 241–271.
- KAMIHIGASHI, T. & J. STACHURSKI (2014): “Stochastic Stability in Monotone Economies”, *Theoretical Economics*, 9, 383 – 407.
- KONISHI, H. & F. PERERA-TALLO (1997): “Existence of Steady-State Equilibrium in an Overlapping-Generations Model with Production”, *Economic Theory*, 9, 529–537.
- KÜBLER, F. & H. POLEMARCHAKIS (2004): “Stationary Markov Equilibria for Overlapping Generations”, *Economic Theory*, 24(3), 623–643.
- LI, J. & S. LIN (2012): “Existence and Uniqueness of Steady State Equilibrium in a Generalized Overlapping Generations Model”, *Macroeconomic Dynamics*, 16, 299–311.
- MAGILL, M. & M. QUINZII (2003): “Indeterminacy of equilibrium in stochastic OLG models”, *Economic Theory*, 21, 435–454.
- MANUELLI, R. (1990): “Existence and Optimality of Currency Equilibrium in Stochastic Overlapping Generations Models: The Pure Endowment Case”, *Journal of Economic Theory*, 51, 268–294.

- 
- MARTIN, A. & J. VENTURA (2012): “Economic Growth with Bubbles”, *American Economic Review*, 102, 3033–3058.
- MCGOVERN, J., O. F. MORAND & K. L. REFFETT (2013): “Computing minimal state space recursive equilibrium in OLG models with stochastic production”, *Economic Theory*, 54, 623–674.
- MIAO, J., P. WANG & L. XU (2016): “Stock market bubbles and unemployment”, *Economic Theory*, 61, 273–307.
- MICHEL, P. & B. WIGNIOLLE (2003): “Temporary Bubbles”, *Journal of Economic Theory*, 112, 173–183.
- MORAND, O. F. & K. L. REFFETT (2003): “Existence and uniqueness of equilibrium in nonoptimal unbounded infinite horizon economies”, *Journal of Monetary Economics*, 50, 1351–1373.
- (2007): “Stationary Markovian Equilibrium in Overlapping Generations Models with Stochastic Nonclassical Production and Markov Shocks”, *Journal of Mathematical Economics*, 43, 501–522.
- RANGAZAS, P. & S. RUSSELL (2005): “The Zilcha criterion for dynamic inefficiency”, *Economic Theory*, 26, 701–716.
- SAMUELSON, P. A. (1958): “An exact consumption–loan model of interest with or without the social contrivance of money”, *Journal of Political Economy*, 66(6), 467–482.
- TIROLE, J. (1985): “Asset Bubbles and Overlapping Generations”, *Econometrica*, 53(6), 1499–1528.
- WANG, Y. (1993): “Stationary Equilibria in an Overlapping Generations Economy with Stochastic Production”, *Journal of Economic Theory*, 61(2), 423–435.
- WANG, Y. (1994): “Stationary Markov Equilibria in an OLG Model with Correlated Production Shocks”, *International Economic Review*, 35(3), 731–744.
- WEIL, P. (1987): “Confidence and the real value of money in an overlapping generations economy”, *Quarterly Journal of Economics*, 102, 1–22.
- ZILCHA, I. (1990): “Dynamic Efficiency in Overlapping Generations Models with Stochastic Production”, *Journal of Economic Theory*, 52(2), 364–379.